

No. R. 1013

26 May 1989

**AGRICULTURAL PESTS ACT, 1983 (ACT NO. 36 1983)**

**IMPORTATION OF CONTROLLED GOODS WITHOUT A PERMIT**

I, Angela Thokozile Didiza, Minister of Agriculture, Land Reform and Rural Development, acting under section 3 (4) of the Agricultural Pests Act, 1983 (Act No. 36 of 1983), hereby make the determinations set out in the Schedule.

**MRS. ANGELA THOKOZILE DIDIZA**

**MINISTER OF AGRICULTURE, LAND REFORM AND RURAL DEVELOPMENT**

*The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).*

## SCHEDULE

In this Schedule “the Notice” means Government Notice No. R. 1013 of 26 May 1989, as amended by Government Notices R. 2252 of 26 November 1993, R. 23 of 8 January 1999 as revoked by R. 57 of 8 January 1999, R. 306 of 15 March 2002, R. 830 of 21 June 2002, R. 1058 of 27 October 2006, R. 49 of 5 February 2010, R. 482 of 11 May 2018 and R. 2855 of 15 December 2022.

### Definitions

1. Any word or expression in this Schedule to which a meaning has been assigned in the Act shall have that meaning and, unless the context indicated otherwise-

“**area of production**” means any plot or group of plots that are cultivated as a unit, and on or in which controlled goods are produced;

“**certificate**” means –

- (a) the original specimen of a phytosanitary certificate or phytosanitary certificate of re-export, that –

- (i) is in the form of the FAO Model Certificate appended to the International Plant Protection Convention, New Revised Text (1997) and

- (ii) has been issued by a recognised empowered authority in the country of production or the country or re-export of the controlled goods to which such certificate relates;

- (b) the original specimen of a plant health certificate that has been issued by a recognised empowered authority in the country of production or the country of re-export of the controlled goods to which such certificate relates;

“**country of production**” means the country in which controlled goods were produced or, in the case of Australia, the United States of

*The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).*

America or any other country with autonomous phytosanitary services in the different states, thereof, the state in which controlled goods were produced;

**“insects and pathogens”** means insects and pathogens of the kinds indicated in numerical sequence in Table 2; and

**“the Act”** means the Agricultural Pests Act, 1983 (Act No. 36 of 1983).

### ***Exemption from permit requirements***

2. The classes of controlled goods specified in column 1 of Table 1 may be imported into the Republic without a permit referred to in section 3(1) of the Act.

### ***Conditions of exemption***

3. (1) The exemption granted in clause 2 shall be subject to the following conditions:
  - (a) The applicable requirements specified in column 2 of Table 1 opposite a particular class of controlled goods shall be complied with in respect of each consignment of that class of controlled goods.
  - (b) The controlled goods concerned may only be imported through a port of entry specified in Table 3.
  - (c) Each consignment of controlled goods shall be presented to the executive officer at the port of entry thereof for such inspection as he may deem necessary.
  - (d) The certificate that accompanies a consignment of controlled goods shall be retained by the executive officer.
  - (e) No consignment of controlled goods may be removed from the port of entry thereof before the executive officer has consented thereto in writing.

- (2) The symbols used in column 2 of Table 1 shall have the following meanings:
- (a) "AD" and "T" means that each consignment of the class of the controlled goods concerned shall be accompanied by a certificate.
  - (b) "D" means the importer of a consignment of class of controlled goods concerned shall submit a declaration on a form obtainable from the executive officer for this purpose, in which he declares that such consignment is intended for immediate re-export or for purposes other than the cultivation thereof in the Republic.
  - (c) "AD 1" followed by one or more numbers in brackets, means that the applicable certificate shall contain an additional declaration that insects and pathogens of the kinds represented by the numbers in brackets-
    - (i) as appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or
    - (ii) do not occur in the area of production concerned.
  - (d) "AD 2" followed by one or more numbers in brackets, means that the applicable certificate shall contain an additional declaration that insects and pathogens of the kinds represented by the numbers in brackets do not occur in the country of production concerned.
  - (e) "AD 3" followed by one or more numbers in brackets, means that the applicable certificate shall contain an additional declaration that insects and pathogens of the kinds represented by numbers in brackets do not occur in the area of production concerned.
  - (f) "AD 4" followed by one or more numbers in brackets, means that the applicable certificate shall contain an additional declaration that the consignment concerned is free of insects and pathogens of the kinds represented by the numbers in brackets.
  - (g) "AD 5" means that the applicable certificate shall contain an additional declaration that the seed comprising the consignment concerned was germinated in or on a sterilised medium and is packed in a sterilised medium.

*The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).*

- (h) "AD 6" means that the applicable certificate shall contain an additional declaration that the plants comprising the consignment concerned were rooted and grown in or on a sterilised medium and are packed in a sterilised medium.
- (i) "AD 7" means that the applicable certificate shall contain an additional declaration that the plants comprising the consignment concerned are packed in a sterilised medium.
- (j) "AD 8" means that the applicable certificate shall contain an additional declaration that the tissue culture or tissue culture transplants comprising the consignment concerned was obtained from mother plants that are practically free from viruses and other diseases.
- (k) "AD 9" means that the applicable certificate shall contain an additional declaration that the timber comprising the consignment concerned has been kiln-dried to a moisture content of 20 per cent or less.
- (l) "AD 10" followed by one or more numbers in brackets, means that the applicable certificate shall contain a confirmation that the mother plants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from viruses and virus-like organisms of the kinds represented by the numbers in brackets.
- (m) "AD 11" means that the applicable certificate shall contain an additional declaration that the consignment concerned is free of growth media and soil.
- (n) "T 1" means that the applicable certificate shall contain a confirmation that the consignment concerned was treated with a broad spectrum fungicide, and in cases where it is followed by one or more numbers in brackets, such confirmation shall refer specifically to the pathogens of the kinds represented by the numbers in brackets.
- (o) "T 2" means that the applicable certificate shall contain a confirmation that the consignment concerned was treated with a broad spectrum insecticide or fumigant, and in cases where it is followed by one or more numbers in

*The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).*

- brackets, such confirmation shall refer specifically to the insects of the kinds represented by the numbers in brackets.
- (p) “T 3” means that the applicable certificate shall contain a confirmation that the consignment concerned was treated with a broad spectrum acaricide, and in cases where it is followed by one or more numbers in brackets, such confirmation shall refer specifically to the insects of the kinds represented by the numbers in brackets.
- (q) “T 4” means that the applicable certificate shall contain a confirmation that the consignment concerned was treated by immersing it for 10 minutes in an appropriate solution of hydrogen peroxide or for 45 seconds in an appropriate solution of hydroxyquinoline sulphate.
- (r) “T 5” means that the applicable certificate shall contain a conformation that the consignment concerned has been kiln-dried to a moisture content of less than 20 per cent.
- (s) “T 6” means that the applicable certificate shall contain a confirmation that the consignment concerned was treated with an appropriate hot water treatment.
- (t) “T 7” means that the applicable certificate shall contain a confirmation that the consignment concerned was treated by means of an appropriate fumigation with methyl bromide gas.
- (u) “T 8” means that the applicable certificate shall contain a confirmation that the consignment concerned was treated by immersion in an appropriate solution of sodium hypochloride.
- (v) “None” means that no phytosanitary certificate is required.

[Amended by R.57 of 8 January 1999,

R. 2855 of 15 December 2022]

**TABLE 1****CONTROLLED GOODS EXEMPTED FROM PERMITS, AND REQUIREMENTS OF EXEMPTION**

Class of controlled goods Column 1	Requirements Column 2
<p><b>1. Seed of species of the following genera and families intended for planting:</b></p> <p><i>Actaea, Actinotus, Adenophora, Adenostyles, Aethionema, Agrostemma, Alcea, Alliaria, Alseuosmia, Althaea, Alyssoides, Ammi, Ammobium, Anacyclus, Anaphalis, Antennaria, Apios, Arctium, Argyroderma, Asarina, Asclepias, Astragalus, Asyneuma, Aubrieta, Aurinia, Axonopus, Balsamita, Baptisia, Basilicum, Bergenia, Berlandiera, Beschorneria, Boltonia, Borago, Brachystelma, Browallia, Buphthalmum, Byblis, Calamintha, Calocephalus, Caltha, Canavalia, Carlina, Carpanthea, Cassine, Catananche, Cephalaria, Cerastium, Cerinthe, Cheiranthus, Chrysopsis, Cineraria, Cladanthus, Clarkia, Clinopodium, Codonopsis, Collinsia, Commiphora, Coriandrum, Crambe, Crepis, Cryptotaenia, Cuminum, Cynoglossum, Dichondra, Didelta, Duvalia, Echium, Eruca, Eschscholzia, Fumaria, Galega, Galium, Geum, Gilia, Glaucium, Globularia, Grindelia, Gypsophila, Heliophila, Hesperis, Hieracium, Hydrocotyle, Inula, Isatis, Jasione, Jurinea, Lachnostachys, Lasthenia, Layia, Lepidium, Lespedeza, Liatris, Limnanthes, Linanthus, Lisianthus, Lomatium, Lonas, Lunaria, Lycopodiella, Lycopus,</i></p>	No phytosanitary certificate required

*The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).*

<p><i>Lysichiton, Macarthuria, Malcolmia, Meconopsis, Medusagyne, Melampodium, Mertensia, Mina, Morina, Mundulea, Myosotidium, Myrrhis, Newtonia, Nolana, Ornithopus, Oxypetalum, Parnassia, Parthenium, Peltiphyllum, Perilla, Petalostemon, Peucedanum, Phacelia, Pimpinella, Pinguicula, Pratia, Pseudolachnostylis, Psilotum, Psoralea, Pulicaria, Reseda, Reyesia, Rhoeo, Romneya, Rubia, Sagina, Salpiglossis, Schizanthus, Shasta, Stizolobium, Streptocarpus, Symphytum, Tacca, Tetragonia, Teucrium, Thermopsis, Thymophylla, Tiarella, Tibouchina, Tragopogon, Trigonella, Tritonia, Ursinia, Utricularia, Valerianella, Viscaria, Voandzeia, Wasabia, Xanthisma, Xeranthemum and Zinnia</i></p>	
<p><i>Abrus, Acokanthera, Acrocarpus, Aetoxicon, Akebia, Alloteropsis, Amorpha, Anthocleista, Antidesma, Arctostaphylos, Ardisia, Asimina, Atalaya, Azanza, Balanites, Biserrula, Bossiaeae, Brachylaena, Brachystemma, Bridelia, Briza, Buckinghamia, Bupleurum, Burchellia, , Cajanus, Calamus, Calliandra, Canthium, Caryocar, Cephalotaxus, Chionathus, Chloris, Chorizema, Chrysophyllum, Cladrastis, Cianthus, Clitoria, Cobaea, Colutea, Corema, Coriaria, Coronilla, Cotoneaster, Cupaniopsis, Cycadales, Darwinia, Dialium, Didymaotus, Dillenia, Dipterocarpus, Dombeya, Dysoxylum, Eleutherococcus, Enterolobium, Eriobotrya, Eriophyllum, Erythrina, Euclea, Eucommia, Faucaria, Flacourtie, Gahnia, Galphimia, Gliricidia, Gmelina, Goodenia, Gossweilerodendron, Gouania, Griselinia, Gymnosporia,</i></p>	<p>Phytosanitary certificate is required but no additional declaration is required.</p>

The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).

*Haloxylon, Harungana, Hebenstretia, Hedysarum, Helinus,  
Heliocarpus, Hemigenia, Hippophae, Hovea, Hovenia,  
Hymenachne, Hymenantherum, Indigofera, Kennedia,  
Kiggelaria, Kirengeshoma, Kirkia, Kissenia, Koelreuteria,  
Landolphia, Langsdorffia, Lannea, Laportea, Lesquerella,  
Leucopogon, Lindera, Lophiocarpus Lophotocarpus,  
Luehea, Macfadyena, Macropiper, Macroptilium, Maesa,  
Markhamia, Marrubium, Melianthus, Memecylon, Mentzelia,  
Meum, Miconia, Mucuna, Myristica, Nuxia, Nuytsia,  
Nyssa, Oncoba, Ongokea, Ostrya, Osyris, Parinari,  
Pavetta, Peganum, Peltophorum, Petrophila, Phalaris,  
Phleum, Phyllocladus, Pithecellobium, Prieurella,  
Pseudolarix, Psiloxylon, Psophocarpus, Pteradiscus,  
Puccinellia, Puelia, Pultenaea, Rehmannia, Rhodochiton,  
Rhodosphaera, Rothmannia, Samanea, Sandoricum,  
Santalum, Saraca, Sarcococca, Schinus, Schizolobium,  
Schotia, Securidaca, Sesamum, Shepherdia, Sicana,  
Sinapsis, Sollya, Sophora, Sparmannia, Spiraea,  
Spyridium, Stenocarpus, Stylosanthes, Styphelia,  
Swainsona, Synsepalum, Tabebuia, Tabernaemontana,  
Tamarindus, Templetonia, Tephrosia, Tetraclinis,  
Tetrataxis, Thespesia, Turraea, Umbellularia, Valeriana,  
Vangueria, Vitex, Warburgia,*

**2. Deleted R.57 of 8 January 1999**

----

- 3. Unrooted vegetative propagating material (excluding bulbs, tubers and rhizomes) of species of the following genera and families:**

<i>Acokanthera</i>	T1, T2
<i>Ardisia</i>	T1, T2
<i>Aristolochia</i>	AD 1 (123)
<i>Asterosperma</i>	T1, T2
<i>Beaucarnea</i>	T1, T2
<i>Callistemon</i>	T1, T2
<i>Cycadales</i>	AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Euonymus</i>	AD 1 (158, 232)
<i>Fremontia</i>	AD 1 (401), T1, T2
<i>Geraniaceae</i>	AD 1 (44, 241, 381, 401)
<i>Oenothera</i>	AD 1 (270, 401), T1, T2
<i>Peltiphyllum</i>	T1, T2
<i>Psilotum</i>	T1, T2
<i>Scindapsus</i>	T1, T2
<i>Tabebuia</i>	T1, T2
<i>Typhonium</i>	T1, T2
<b>4. Bulbs, tubers and rhizomes of species of the following genera and families:</b>	
<i>Agapanthus</i>	AD 1 (401), AD 3 (270, 366) AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Alstroemeria</i>	AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Amaryllidaceae</i> (excluding species of genera indicated elsewhere)	AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Eryngium</i>	AD 1 (333), AD 3 (270, 366), AD 4 (8, 9, 22, 23, 24, 132, 133), AD 11
<i>Incarvillea</i>	AD 3 (270, 366), AD 4 (9, 22, 23, 24,

The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document(s) (gazetted).

Iridaceae (excluding species of genera indicated elsewhere)	132, 133), AD 11 AD 1 (137, 337, 343, 377), AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
Liliaceae (excluding species of genera indicated elsewhere)	AD 1 (201, 202), AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
Marantaceae.....	AD 1 (1, 333), AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Phylax</i> .....	AD 3 (267, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<b>5. Rooted greenhouse plants [not older than 10 weeks and/or height not exceed 200mm] of species of the following genera and families</b>	
<i>Ajuga</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Alocasia</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Aloe</i> .....	AD 1 (290), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Alstroemeria</i> .....	AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
Amaryllidaceae.....	AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371,

*The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).*

<i>Anigozanthos</i>	372), AD 6 AD 4 (22, 23, 24, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Anthurium</i>	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Aphelandra</i>	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Ardisia</i>	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Artocarpus</i>	AD 1 (194, 278), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Azalea</i>	AD 1 (88, 234, 346), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Beaucarnea</i>	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Bougainvillea</i>	AD 1 (278), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Bouvardia</i>	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Buddleia</i>	AD 1 (44, 123, 317, 401), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270,

The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).

<i>Callistemon</i> .....	366, 368, 369, 370, 371, 372), AD 6 AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Campanula</i> .....	AD 1 (44, 123, 317, 401), AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Cananga</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Capparis</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Ceanothus</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Chamaelaucium</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Clematis</i> .....	AD 1 (401), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Coleus</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Coprosma</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Cordyline</i> .....	AD 1 (36, 269), AD 4 (22, 23, 24, 132,

*The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).*

<i>Cycadales</i>	133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Cyclamen</i>	AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Dahlia</i>	AD 1 (324), AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Delphinium</i>	AD 1 (401, 407), AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Dendranthema</i>	AD 1 (38, 44, 378), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Dianthus</i>	AD 1 (38, 87, 131, 152, 315, 380), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Diascia</i>	AD 1 (44, 50, 56, 57, 58, 153, 241, 300, 399), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Dipladenia</i>	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Dracaena</i>	AD 1 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6

*The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).*

<i>Echeveria</i>	369, 370, 371, 372), AD 6 AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Eryngium</i>	AD 1 (333), AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Euonymus</i>	AD 1 (158, 232), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Euphorbia</i>	AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Eustoma</i>	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Fuchsia</i>	AD 1 (12, 401), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Gardenia</i>	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Gerbera</i>	AD 1 (275, 401), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Grevillea</i>	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Gypsophila</i>	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6

The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).

<i>Hebe</i> .....	372), AD 6 AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Hosta</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Hoya</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Lavandula</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Lisianthus</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Lonicera</i> .....	AD 1 (401), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Lycopodium</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Lysimachia</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Macropidia</i> .....	AD 1 (337, 343), AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Magnolia</i> .....	AD 1 (229, 401), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368,

*The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).*

<i>Marantaceae</i>	369, 370, 371, 372), AD 6 AD 1 (1, 333), AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Menianthus</i>	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Mimulus</i>	AD 1 (252), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Nepenthes</i>	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Origanum</i>	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Osmanthus</i>	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Oxalis</i>	AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Pandanus</i>	AD 1 (51), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Peltiphyllum</i>	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Penstemon</i>	AD 1 (23), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369,

*The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).*

<i>Peperomia</i> .....	370, 371, 372), AD 6 AD 1 (23, 243), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Philodendron</i> .....	AD 1 (152), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Phormium</i> .....	AD 1 (268, 389, 421), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Pittosporum</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Polyscias</i> .....	AD 1 (401), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Preslia</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Psilotum</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Rhododendron</i> .....	AD 1 (88, 234, 346), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Rheoe</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Ruscus</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371,

*The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).*

<i>Salix</i>	372), AD 6 AD 1 (271, 288, 303, 406), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Salvia</i>	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Sambucus</i>	AD 1 (12, 25, 85, 378), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Sansevieria</i>	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Schefflera</i>	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Spathiphyllum</i>	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Stachys</i>	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Stephanotis</i>	AD 1 (87), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Sterilitzia</i>	AD 1 (1, 150, 164), AD 3 (223, 304, 412), AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6

*The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).*

<i>Thymus</i>	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Tradescantia</i>	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Verbascum</i>	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Viburnum</i>	AD 1 (401), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Yucca</i>	AD 1 (198), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<b>6. Tissue culture <i>in vitro</i> of species of the following genera and families:</b>	
<i>Amaryllidaceae</i>	AD 8
<i>Ardisia</i>	AD 8
<i>Beaucarnea</i>	AD 8
<i>Bromeliaceae</i>	AD 8
<i>Cupressus</i>	AD 8
<i>Euphorbia</i>	AD 8, AD 10 (159, 287)
<i>Marantaceae</i>	AD 8, AD 10 (1,333)
<i>Phyloglossum</i>	AD 8
<i>Polypodiaceae</i>	AD 8
<i>Psilotum</i>	AD 8

*The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).*

<b>7. deleted R.57 of 8 January 1999</b>	
<b>8. deleted R.57 of 8 January 1999</b>	
<b>9. deleted R.57 of 8 January 1999</b>	
<b>10.</b> All kinds of timber and unmanufactured timber products: see also class 11)	Must be free from bark.
<b>11.</b> Timber and unmanufactured timber products of species of the following genera and families:	
<i>Abies</i> .....	AD 3 (49, 350), AD 4 (175, 207) or AD 9
<i>Acacia</i> .....	None
<i>Acer</i> .....	AD 3 (65) or AD 9
<i>Agathis</i> .....	AD 9
<i>Artocarpus</i> .....	None
<i>Brachystegia</i> .....	None
<i>Buxaceae</i> .....	AD 9
<i>Castanea</i> .....	AD 3 (66) or AD 9
<i>Carya</i> .....	None
<i>Cupressus</i> .....	AD 9
<i>Cuphea</i> .....	AD 9
<i>Juglans</i> .....	None
<i>Millettia</i> .....	None
<i>Pinus</i> .....	AD 3 (49, 350), AD 4 (175, 207) or AD 9
<i>Podocarpus</i> .....	None
<i>Pterocarpus</i> .....	None
<i>Rutaceae</i> .....	None
<b>12. deleted R.57 of 8 January 1999</b>	-----

*The Department of Agriculture, Land Reform and Rural Development would not be held liable  
should the information contained in this document vary from the original document (s) (gazetted).*

<b>13.</b> Bark of:		
a) <i>Acacia mearnsii</i> (only from Swaziland)		None
<b>14.</b> Cork:		
Unmanufactured.....	T 7	
Manufactured.....	None	
<b>15.</b> Vegetables fibre of species of the following genera and families:		
<i>Gossypium</i> (with more than 1 seed per 2 kg sample)	T 7	
<i>Sorghum</i> .....	T 7	
<b>16.</b> Vegetable gums and resins of the following species and genera:		
<i>Abies balsamea</i> .....	None	
<i>Acacia</i> .....	None	
<i>Agathis</i> .....	None	
<i>Amyris plumeria</i> .....	None	
<i>Anacardium occidentale</i> .....	None	
<i>Anogeissus latifolia</i> .....	None	
<i>Astragalus</i> .....	None	
<i>Balanocarpus heimii</i> .....	None	
<i>Boswellia</i> .....	None	
<i>Bursera</i> .....	None	
<i>Ceratonia siliqua</i> .....	None	
<i>Cochlus gossypium</i> .....	None	
<i>Commiphora</i> .....	None	
<i>Copemica cerifera</i> .....	None	

The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).

<i>Cistus</i>	None
<i>Dacryoidoides hexandra</i>	None
<i>Dorema amoniaccum</i>	None
<i>Dracaena</i>	None
<i>Euphorbia resinifera</i>	None
<i>Ferula</i>	None
<i>Guaiacum</i>	None
<i>Guibourtia</i>	None
<i>Hymenaea courbaril</i>	None
<i>Laccifer lacca</i>	None
<i>Liquidambar styraciflua</i>	None
<i>Melanorrhoea usitata</i>	None
<i>Myroxylon</i>	None
<i>Pinus</i>	None
<i>Piptadenia</i>	None
<i>Pistacia lentiscus</i>	None
<i>Protium</i>	None
<i>Rhus verniciflua</i>	None
<i>Sacapetalum tomentosum</i>	None
<i>Sterculia</i>	None
<i>Styrax</i>	None
<i>Terminalia</i>	None
<i>Tetraclinis articulata</i>	None
<i>Xanthorrhoea</i>	None
<b>17.</b> Rattan and bamboo obtained from the species of the following genera:	
<i>Arundinaria</i>	None
<i>Bambusa</i>	None

The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).

<i>Calamus</i>	None
<i>Daemonorops</i>	None
<i>Dendrocalamus</i>	None
<i>Korthalsia</i>	None
<i>Phyllostachys</i>	None
<i>Plectocomia</i>	None
<i>Thrysostachys</i>	None
<b>18. Item 18 is deleted by R.57 of 8 January 1999</b>	-----
<b>19. Herbs, spices and other parts of plants intended for medicinal, human or animal consumption and obtained from plants of the following species, genera and families:</b>	
<i>Acanthus mollis</i>	None
<i>Achillea</i>	None
<i>Aconitum</i>	None
<i>Actaea spicata</i>	None
<i>Agar-Agar (unrefined)</i>	None
<i>Agastache foeniculum</i>	None
<i>Agrimonia eupatoria</i>	None
<i>Ajuga</i>	None
<i>Alcea rosea</i>	None
<i>Alchemilla vulgaris</i>	None
<i>Allium</i> (only dried, flaked and powdered)	None
<i>Aloe</i>	None
<i>Althea</i>	None
<i>Anagallis arvensis</i>	None
<i>Anchusa</i>	None

*The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).*

<i>Androstephium violaceum</i>	None
<i>Anemone</i>	AD 11
<i>Angelica</i>	None
<i>Anthemis tinctoria</i>	None
<i>Antennaria dioica</i>	None
<i>Anthriscus</i>	None
<i>Anthyllis</i>	None
<i>Apium graveolens</i>	AD 11
<i>Aquilegia vulgaris</i>	None
<i>Arabis</i>	None
<i>Aralia</i>	None
<i>Arctotis acaulis</i>	None
<i>Armeria</i>	None
<i>Arnica Montana</i>	None
<i>Asarum canadense</i>	None
<i>Asclepias tuberosa</i>	None
<i>Asperula</i>	None
<i>Astragalus</i>	AD 11
<i>Atropa</i>	None
<i>Baptisia</i>	None
<i>Barbarea verna</i>	None
<i>Bellis perennis</i>	None
<i>Borago officinalis</i>	None
<i>Brassica</i> (only the seed thereof)	D
<i>Bryonia dioica</i>	None
<i>Cajanus</i> [only the seed thereof]	D
<i>Calendula</i>	None
<i>Campanula</i>	None
<i>Canavalia</i> (only the seed thereof)	D
<i>Capparis spinosa</i>	None

The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document(s) (gazetted).

<i>Carthamus tinctorius</i>	None
<i>Carum carvi</i>	None
<i>Castanea</i>	None
<i>Catharanthus roseus</i>	None
<i>Ceanothus americanus</i>	None
<i>Cedronella triphylla</i>	None
<i>Centaurea cyanus</i>	None
<i>Centaurium erythraea</i>	None
<i>Ceratonia siliqua</i> (only the seed thereof)	D
<i>Cheiranthus cheiri</i>	None
<i>Chelidonium</i>	None
<i>Chrysanthemum</i>	None
<i>Cichorium intybus</i>	AD 11
<i>Cimicifuga racemosa</i>	None
<i>Cinnamomum</i>	None
<i>Cnicus benidictus</i>	None
<i>Coffea</i> (only roasted bean)	None
<i>Colchicum autumnale</i>	AD 11
<i>Collinsonia Canadensis</i>	None
<i>Colutea</i>	None
<i>Conium maculatum</i>	None
<i>Convallaria</i>	None
<i>Coreopsis tinctoria</i>	None
<i>Coriandrum sativum</i>	None
<i>Cornus florida</i>	None
<i>Corylus</i> (only the nuts thereof)	None
<i>Crithmum maritimum</i>	None
<i>Crocus sativus</i>	None
<i>Croton</i>	None
<i>Cryptotaenia japonica</i>	None

The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).

<i>Cuminum cyminum</i>	None
<i>Cupressus</i>	None
<i>Curcuma longa</i>	AD 11
<i>Cyamopsis</i> (only the seed thereof)	D
<i>Cynara</i>	None
<i>Danae racemosa</i>	None
<i>Delphinium grandiflorum</i>	None
<i>Dianthus</i>	None
<i>Dictamnus albus</i>	None
<i>Digitalis</i>	None
<i>Dolichos</i>	None
<i>Dracocephalum moldavica</i>	None
<i>Elettaria cardamomum</i>	None
<i>Epilobium</i>	None
<i>Erica</i>	None
<i>Erigeron</i>	None
<i>Eugenia caryophyllata</i>	None
<i>Euphorbia</i>	None
<i>Fagopyrum</i>	None
<i>Filipendula</i>	None
<i>Galega officianalis</i>	None
<i>Galium</i>	None
<i>Genista tinctoria</i>	None
<i>Gentiana</i>	None
<i>Geranium</i>	None
<i>Glycyrrhiza glabra</i>	AD 11
<i>Gnaphalium</i>	None
<i>Gossypium</i> (only the seed thereof)	T 2, D
<i>Gratiola officinalis</i>	None
<i>Grindelia robusta</i>	None

The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).

<i>Guizotia abyssinica</i>	None
<i>Hamamelis virginiana</i>	None
<i>Helianthemum</i>	None
<i>Heliotropium</i>	None
<i>Helleborus niger</i>	None
<i>Herniaria</i>	None
<i>Heuchera</i>	None
<i>Hibiscus sabdariffa</i>	None
<i>Hieracium</i>	None
<i>Humulus</i>	None
<i>Hydrocotyle asiatica</i>	None
<i>Hydrocyamus niger</i>	None
<i>Hypericum</i>	None
<i>Hyssopus officinalis</i>	None
<i>Iberis umbellata</i>	AD 11
<i>Ilex paraguariensis</i>	None
<i>Illicium verum</i>	None
<i>Indigofera</i>	None
<i>Inula helenium</i>	None
<i>Iris</i>	AD 11
<i>Isatis tinctoria</i>	None
<i>Jasminum</i>	None
<i>Juniperus communis</i>	None
<i>Lamium</i>	None
<i>Laurus</i>	None
<i>Lavandula</i>	None
<i>Lawsonia inermis</i>	None
<i>Leontopodium alpinum</i>	None
<i>Leonurus</i>	None
<i>Lepidium sativum</i>	None

The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).

<i>Levisticum officinale</i>	None
<i>Liatris</i>	None
<i>Ligustrum</i>	None
<i>Linaria</i>	None
<i>Linum usitatissimum</i>	None
<i>Lobelia</i>	None
<i>Lotus</i>	None
<i>Lophocarpus</i>	None
<i>Lupinus</i> (only the seed thereof)	D
<i>Lychnis chalcedonica</i>	None
<i>Lycopus europaeus</i>	None
<i>Lysimachia nummularia</i>	None
<i>Lythrum salicaria</i>	None
<i>Maclura pomifera</i>	None
<i>Mangifera</i> (only the seed thereof)	None
<i>Malva</i>	None
<i>Maranta arundinacea</i>	AD 11
<i>Marrubium vulgare</i>	None
<i>Matricaria chamomilla</i>	None
<i>Melilotus officinalis</i>	None
<i>Melissa officinalis</i>	None
<i>Metroxylon rumphii</i>	None
<i>Mirabilis</i>	None
<i>Moluccella laevis</i>	None
<i>Monarda didyma</i>	None
<i>Morus nigra</i> (dried)	None
<i>Myrica pensylvanica</i>	None
<i>Myristica fragrans</i>	None
<i>Myrrhis odorata</i>	None
<i>Myrtus communis</i>	None

The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document(s) (gazetted).

<i>Nasturtium officinale</i>	None
<i>Nepenthes</i>	None
<i>Nepeta</i>	None
<i>Nigella damascena</i>	None
<i>Ocimum</i>	None
<i>Ononis</i>	None
<i>Origunum</i>	None
<i>Panax</i>	AD 11
<i>Papaver somniferum</i>	T 7, D
<i>Paris quadrifolia</i>	None
<i>Perilla frutescens</i>	None
<i>Petroselinum crispum</i>	None
<i>Peucedanum</i>	None
<i>Piper</i>	None
<i>Pisum</i> (only the seed thereof)	D
<i>Ricinus</i>	None
<i>Saxifraga</i>	None
<i>Sedum</i>	None
<i>Sempervivum</i>	None
<i>Sesamum</i>	None
<i>Silybum marianum</i>	None
<i>Smilax</i>	None
<i>Solidago virgaurea</i>	None
<i>Symphytum</i>	None
<i>Tagetes</i>	None
<i>Taraxacum officinale</i>	None
<i>Teucrium</i>	None
<i>Tetragonia tetragonoides</i>	None
<i>Theobroma</i>	None
<i>Thymus</i>	None

*The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).*

<i>Tilia cordata</i>	None
<i>Trigonella foenum-graecum</i>	None
<i>Tropaeolum</i>	None
<i>Tussilago farfara</i>	None
<i>Urginea maritima</i>	None
<i>Urtica</i>	None
<i>Valeriana</i>	None
<i>Valerianella locusta</i>	None
<i>Verbascum</i>	None
<i>Verbena</i>	None
<i>Veronica</i>	None
<i>Viburnum opulus</i>	None
<i>Vinca</i>	None
<i>Viola</i>	None
<i>Yucca glauca</i>	D
<b>20. deleted R.306 of 15 March 2002</b>	-----
<b>21. Vermi compost</b>	AD 4 (206) and as for Biological material indicated above
<b>22. deleted R.57 of 8 January 1999</b>	-----
<b>23. deleted by R.57 of 8 January 1999</b>	-----

[Amended by R.2252 of 26 November 1993,

R.23 of 8 January 1999 as revoked by, R.57 of 8 January 1999,

R. 306 of 15 March 2002,

R. 830 of 21 June 2002,

R. 49 of 05 February 2010,

R. 482 of 11 May 2018,

R. 2855 of 15 December 2022]

The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).

**TABLE 2**  
**INSECTS AND PATHOGENS**

- |  |
|--|
| 1. Abaca mosaic virus                  |
| 2. Abutilon mosaic virus               |
| 3. <i>Acalitus essigi</i>              |
| 4. <i>Acalitus orthomera</i>           |
| 5. <i>Acarapis woodi</i>               |
| 6. <i>Aceria biopsida</i>              |
| 7. <i>Aceria breakeyi</i>              |
| 8. <i>Aceria peucedamum</i>            |
| 9. <i>Aceria tulipae</i>               |
| 10. <i>Actinomyces ipomoeae</i>        |
| 11. <i>Aecidium fragiforme</i>         |
| 12. Alfalfa dwarf mosaic virus         |
| 13. <i>Alternaria cichorii</i>         |
| 14. <i>Alternaria padwickii</i>        |
| 15. <i>Anarsia lineatella</i>          |
| 16. <i>Anastrepha fraterculus</i>      |
| 17. <i>Anastrepha ludens</i>           |
| 18. <i>Anastrepha mombinpraeoptans</i> |
| 19. <i>Anguina</i> spp.                |
| 20. <i>Anguina tritici</i>             |
| 21. Annual ryegrass toxicity syndrome  |
| 22. <i>Aphelenchoides besseyi</i>      |
| 23. <i>Aphelenchoides fragariae</i>    |
| 24. <i>Aphelenchoides ritzema-bosi</i> |
| 25. <i>Arabis</i> mosaic virus         |
| 26. Artichoke curly dwarf virus        |
| 27. Artichoke mosaic virus             |

*The Department of Agriculture, Land Reform and Rural Development would not be held liable should the information contained in this document vary from the original document (s) (gazetted).*

- 28. Artichoke mottle crinkle virus
- 29. *Ascochyta abelmoschi*
- 30. *Ascochyta gossypii*
- 31. *Ascochyta pisi*
- 32. *Ascochyta rabiei*
- 33. *Ascochyta* spp.
- 34. *Ascospshaera apis*
- 35. Asparagus virus
- 36. *Aspergillus niger* f. *floridanus*
- 37. *Aspidiella hartii*
- 38. Aster yellows mycoplasma
- 39. *Bacillus larvae*
- 40. Bacterial pathogens
- 41. *Balansia oryzae*
- 42. Banana bunchy top virus
- 43. Bean Yellow Mosaic virus
- 44. Beet curly top virus
- 45. Black pepper stunt virus
- 46. Blueberry stunt virus
- 47. *Botrytis tulipae*
- 48. Broadbean stain virus
- 49. *Bursaphelenchus xylophilus*
- 50. *Cacoecimorpha pronubana*
- 51. Cadang-cadang viroid
- 52. *Caeoma sanctae-crucis*
- 53. *Caeoma torreya*
- 54. *Calacarus carinatus*
- 55. *Campanotus herculeanus*
- 56. Carnation etched ring virus
- 57. Carnation necrotic fleck virus

- 58. Carnation streak virus
- 59. *Cecidophyopsis ribis*
- 60. Celery mosaic virus
- 61. *Cephaleuros parasiticus*
- 62. *Cephalosporium diospyri*
- 63. *Cephalosporium maydis*
- 64. *Cephalosporium sacchari*
- 65. *Ceratocystis coeruleascens*
- 66. *Ceratocystis fagacearum*
- 67. *Ceratocystis fimbriata*
- 68. *Ceratocystis fimbriata* var. *platani*
- 69. *Ceratocystis* spp.
- 70. *Ceratocystis ulmi*
- 71. *Ceratostomella fimbriata*
- 72. *Cercospora angolensis* (Redescribed as *Phaeoranularia angolensis*)
- 73. *Cercospora coffeicola*
- 74. *Cercospora corchori*
- 75. *Cercospora ixorae*
- 76. *Cercospora mangifera*
- 77. *Cercospora pini-densiflorae*
- 78. *Cercospora purpurea*
- 79. *Cercospora sequioae*
- 80. *Cercospora sojina*
- 81. *Cercospora* spp.
- 82. *Cercospora transversiana*
- 83. *Ceutospora litchii*
- 84. *Chaetocnema pulicaria*
- 85. Cherry leafroll virus
- 86. Cherry rasp leaf virus
- 87. Chrysanthemum stunt viroid

- 88. *Chrysomyxa rhododendri*
- 89. *Ciboria betulae*
- 90. Citrus stubborn mycoplasma
- 91. *Claviceps purpurea*
- 92. *Claviceps* spp.
- 93. *Clitocybe tabescens*
- 94. Clostero viruses
- 95. Clover phyllody mycoplasma
- 96. *Cochliobolus miyabeanus* (Syn *Helminthosporium oryzae*)
- 97. *Colletotrichum cajani*
- 98. *Colletotrichum capsici*
- 99. *Colletotrichum coffeatum* (CBD Strain)
- 100. *Colletotrichum dematium* f. sp. *truncatum*
- 101. *Colletotrichum fuscum*
- 102. *Colletotrichum lini*
- 103. *Colletotrichum panacicola*
- 104. *Colletotrichum villosum*
- 105. *Coniella diplodiella*
- 106. *Corynebacterium flaccumfaciens* pv. *betae*
- 107. *Corynebacterium flaccumfaciens* pv. *flaccumfaciens*
- 108. *Corynebacterium michiganense* pv. *michiganense*
- 109. *Corynebacterium michiganense* pv. *sepedonicum*
- 110. *Corynespora casiicola*
- 111. Cotton leaf curl virus
- 112. Cranberry false blossom mycoplasma
- 113. *Crinipellis palmivora*
- 114. *Crinipellis perniciosa*
- 115. *Cronartium coleosporioides*
- 116. *Cronartium comptoriae*
- 117. *Cronartium fusiforme*

- 118. *Cronartium quercuum*
- 119. *Cronartium strobultinum*
- 120. *Cryptospora longispora*
- 121. *Cryptostictis cupressi*
- 122. Cucumber leaf roll virus
- 123. Cucumber mosaic virus
- 124. *Cydia molesta*
- 125. *Dacus cucurbitae*
- 126. *Dacus dorsalis*
- 127. *Dacus tryoni*
- 128. *Dacus zonatus*
- 129. *Diaporthe phaseolorum* var. *batatas*
- 130. *Diaporthe phaseolorum* var. *caulivora*
- 131. *Didymella chrysanthemi*
- 132. *Ditylenchus destructor*
- 133. *Ditylenchus dipsaci*
- 134. *Ditylenchus* spp.
- 135. *Dothistroma pini*
- 136. *Dotichiza populea*
- 137. *Drechslera iridis*
- 138. *Drechslera maydis*
- 139. *Dysmicoccus brevipes*
- 140. *Echinodentium taxodii*
- 141. Elm mosaic virus
- 142. *Endothia gyrosa*
- 143. *Endothia parasitica*
- 144. *Ennomos subsignarius*
- 145. *Eotetranychus pruni* (*E. pomi*)
- 146. *Eotetranychus sexmaculatus*
- 147. *Ephelis pallida*

- 148. *Eriophyes gastrotrichus*
- 149. *Erwinia amylovora*
- 150. *Erwinia carotovora* f sp. *musae*
- 151. *Erwinia carotovora* pv. *atroseptica*
- 152. *Erwinia chrysanthemi*
- 153. *Erwinia chrysanthemi* f sp. *dianthi*
- 154. *Erwinia nigrifluens*
- 155. *Erwinia rhamontici*
- 156. *Erwinia rubrifaciens*
- 157. *Erwinia stewartii*
- 158. Euonymus variegation virus
- 159. Euphorbia mosaic virus
- 160. *Exobasidium camelliae*
- 161. *Exobasidium vexans*
- 162. *Frankliniella occidentalis*
- 163. Fungal pathogens
- 164. *Fusarium oxysporum* f. *cubense*
- 165. *Fusarium oxysporum* f. sp. *lycopersici* Race
- 166. *Fusarium oxysporum* f. sp. *psidii*
- 167. *Fusarium oxysporum* f. *zingiberi*
- 168. *Ganoderma lucidum*
- 169. *Globodera* spp
- 170. *Gloeotinia temulenta*
- 171. *Glomerella cingulata*
- 172. *Gnomonia platani* (Syn *G. veneta*)
- 173. *Godrona cassandrae*
- 174. *Goplana dioscorea*
- 175. *Gremmeniela abeitina*
- 176. Guar top necrosis virus
- 177. *Guignardia aesculi*

- 178. *Guignardia bidwellii*
- 179. *Gymnosporangium* spp
- 180. *Hendersonia agathi*
- 181. *Heterodera glycines*
- 182. *Heterodera humuli*
- 183. *Heterodera* spp
- 184. Hop mosaic virus
- 185. Hop nettle virus complex
- 186. Hydrangea ringspot virus
- 187. *Hymenochaeta mongeotii*
- 188. *Hymenoptera* spp
- 189. Ilar group viruses
- 190. *Kabathina thujae*
- 191. *Kabatiella nigricans*
- 192. *Kabatiella zaeae*
- 193. *Keithia thujina*
- 194. *Koleroga noxia*
- 195. Leaf scorch
- 196. *Leptinotarsa decemlineata*
- 197. *Leptosphaeria maculans* (*Syn Phoma lingam*)
- 198. *Leptosphaeria obtusispora*
- 199. Lethal yellowing mycoplasma
- 200. Lettuce mosaic virus
- 201. Lily mosaic virus
- 202. Lily rosette virus
- 203. *Liriomyza* spp
- 204. *Lophodermium cedri*
- 205. *Lophodermium* spp
- 206. *Lumbricus rubellus*
- 207. *Lymantria disparina*

- 208. *Magnaporthe salvinii*
- 209. *Malpigamoeba mellificae*
- 210. *Mampava rhodoneura*
- 211. *Marssonina brannea*
- 212. *Melampsora hypericorum*
- 213. *Melampsora pinitorqua*
- 214. *Meloidogyne* spp
- 215. *Microcyclus ulei*
- 216. *Microsphaeria alni*
- 217. Mollusca
- 218. *Monilia roreri*
- 219. *Monilochaetes infuscans*
- 220. Mosaic
- 221. Mosaic virus infection
- 222. *Mycosphaerella citri*
- 223. *Mycosphaerella fijiensis*
- 224. *Mycosphaerella linorum*
- 225. Myrobalan latent ringspot virus
- 226. Narcissus yellow stripe virus
- 227. Necrotic ringspot virus serotypes
- 228. *Nectria cinnabrina*
- 229. *Nectria galligena*
- 230. Nematodes (plant parasitic)
- 231. *Neovossia indica*
- 232. *Oidium euonymi-japonici*
- 233. *Opogona sacchari*
- 234. *Ovulina azaleae*
- 235. *Paramyelois transitella*
- 236. *Pardalaspis cyanescens*
- 237. Pea seedborne mosaic virus

- 238. Peanut marginal chlorosis virus
- 239. Peanut mottle virus (syn. Groundnut mottle virus)
- 240. Peanut stunt virus
- 241. Pelargonium leaf curl virus
- 242. Peperomia ringspot virus
- 243. *Perenosclerospora maydis*
- 244. *Perenosclerospora phillipinensis*
- 245. *Perenosclerospora sacchari*
- 246. *Perenosclerospora spontanea*
- 247. *Peridermium cedri*
- 248. *Peronospora arborescens*
- 249. *Peronospora documeti*
- 250. *Peronospora farinosa*
- 251. *Peronospora hyoschyami*
- 252. *Peronospora jacksonii*
- 253. *Peronospora mesembryanthemi*
- 254. *Peronospora schachtii*
- 255. *Peronospora tabacina*
- 256. *Phakopsora cheoana*
- 257. *Phakopsora jatrophicola*
- 258. *Phakopsora pachyrhizi*
- 259. *Phakopsora zizyphi-vulgaris*
- 260. *Phoma cisti*
- 261. *Phoma sabdariffae*
- 262. *Phoma spp*
- 263. *Phoma strasseri*
- 264. *Phomopsis annonacearum*
- 265. *Phomopsis heveae*
- 266. *Phomopsis theae*
- 267. *Phomopsis vexans*

- 268. Phormium yellowing mycoplasma
- 269. *Phyllosticta dracaenae*
- 270. *Phymatotrichum omnivorum*
- 271. *Physalospora miyabeana*
- 272. *Physopella ampelopsisidis*
- 273. Phytophagous mites
- 274. *Phytophthora capsici*
- 275. *Phytophthora cryptogea*
- 276. *Phytophthora fragariae*
- 277. *Phytophthora infestans*
- 278. *Phytophthora palmivora*
- 279. *Phytophthora* spp
- 280. Plant parasitic nematodes
- 281. *Plasmodiophora brassicae*
- 282. *Plasmopara chrysanthemi-coronarii*
- 283. *Plasmopara halstedii*
- 284. *Pleospora papaveracea*
- 285. *Ploioderma lethale*
- 286. Plum Pox virus (Sharka)
- 287. Poinsettia mosaic virus
- 288. *Polaccia saliciperda*
- 289. *Polyporus gilvus*
- 290. *Polyporus sanguineus*
- 291. *Polyscytalum pustulans*
- 292. Potato spindle tuber viroid
- 293. *Pratylenchus brachyurus*
- 294. *Pratylenchus scribneri*
- 295. *Prostephanus truncatus*
- 296. *Pseudococcus citri*
- 297. *Pseudomonas aleuritides*

- 298. *Pseudomonas andropogonis*
- 299. *Pseudomonas aptata*
- 300. *Pseudomonas caryophylli*
- 301. *Pseudomonas maublanci*
- 302. *Pseudomonas phaseolicola*
- 303. *Pseudomonas saliciperda*
- 304. *Pseudomonas solanacearum*
- 305. *Pseudomonas solanacearum* biotypes
- 306. *Pseudomonas syringae* pv *mellea*
- 307. *Pseudomonas syringae* pv *pisi*
- 308. *Pseudomonas syringae* pv *populae*
- 309. *Pseudomonas syringae* pv *savastanoi*
- 310. *Pseudomonas viridiflava*
- 311. *Pseudoperonospora humuli*
- 312. *Psylla pyricola*
- 313. *Puccinia cari-bistortea*
- 314. *Puccinia graminis*
- 315. *Puccinia horiana*
- 316. *Puccinia psidii*
- 317. *Puccinia* spp
- 318. *Pucciniastrum actinidiae*
- 319. *Pyrenopeziza phlogina*
- 320. *Pythium myriotylum*
- 321. *Radopholus citrophilus*
- 322. *Radopholus similis*
- 323. *Ramularia bellulensis*
- 324. *Ramularia cyclaminicola*
- 325. *Rhadinaphelenchus cocophilus*
- 326. *Rhagoletis cerasi*
- 327. *Rhagoletis pomonella*

- 328. *Rhizoctonia solani*
- 329. *Rhyncophorus palmarum*
- 330. Root wilt
- 331. Rose Rosette virus
- 332. Rose wilt virus
- 333. *Rosselinia bunodes*
- 334. *Rotylenchus reniformis*
- 335. *Sanninoidea exitiosa*
- 336. *Sclerophthora rayssiae* var *zeae*
- 337. *Sclerotinia bulborum*
- 338. *Sclerotinia convulata*
- 339. *Sclerotinia narcissicola*
- 340. *Sclerotinia polyblastis*
- 341. *Sclerotinia ricini*
- 342. *Sclerotinia trifolium*
- 343. *Sclerotium tuliparum*
- 344. *Seiridium cardinale*
- 345. *Septobasidium aleuritides*
- 346. *Septoria azaleae*
- 347. *Septoria gladioli*
- 348. *Septoria glycines*
- 349. Shuck die-back disease
- 350. *Sirex noctilio*
- 351. Soil-borne viruses
- 352. *Sorosporium syntherismae*
- 353. Soyabean mild mosaic virus
- 354. Soyabean stunt virus
- 355. *Sphaceloma manihotica*
- 356. *Sphaceloma punicae*
- 357. *Sphaerotheca mors-uvae*

- 358. *Sphaerulina taxicola*
- 359. *Spongospora* spp
- 360. *Steneotarsonemus laticeps*
- 361. Strawberry latent ringspot virus
- 362. *Streptomyces scabies*
- 363. Sugarcane fiji virus
- 364. Sugarcane grassy shoot virus
- 365. Sugarcane sereh virus
- 366. *Synchytrium endobioticum*
- 367. *Synchytrium piperi*
- 368. *Tetranychus Canadensis*
- 369. *Tetranychus mcdanielli*
- 370. *Tetranychus pacificus*
- 371. *Tetranychus schoenei*
- 372. *Tetranychus viennensis*
- 373. *Thyronectria denigrata*
- 374. *Tilletia barclayana*
- 375. *Tilletia controversa*
- 376. Tobacco leaf curl virus
- 377. Tobacco rattle virus
- 378. Tobacco ringspot virus
- 379. Tobacco streak virus
- 380. Tomato aspermy virus
- 381. Tomato black ring virus
- 382. Tomato ringspot virus
- 383. *Trioza calacarus*
- 384. *Trogoderma granarium*
- 385. *Tropilaelops clareae*
- 386. Tulip white streak virus
- 387. Uredinales

- 388. Uradinales (Pine rusts)
- 389. *Uredo phormii*
- 390. *Urocystis agropyri*
- 391. *Urocystis cepulae* (Syn *U. colchici*)
- 392. *Uromyces cytisi*
- 393. *Uromyces genistae-tinctoriae*
- 394. *Uromyces* spp
- 395. *Ustilaginoidea virens*
- 396. *Ustilago coicis*
- 397. *Ustilago nuda*
- 398. *Ustilago utriculosa*
- 399. *Ustilago violacea*
- 400. *Varroa jacobsoni*
- 401. *Verticillium albo-atrum*
- 402. *Verticillium dahliae*
- 403. *Verticillium* spp
- 404. Virus and virus-like diseases affecting honey bees
- 405. Virus and virus-like diseases
- 406. Virus chlorosis
- 407. Wilt diseases caused by fungi
- 408. *Xanthomonas campestris* pv *begoniae*
- 409. *Xanthomonas campestris* pv *campestris*
- 410. *Xanthomonas campestris* pv *cassavae*
- 411. *Xanthomonas campestris* pv *cassiae*
- 412. *Xanthomonas campestris* pv *celebensis*
- 413. *Xanthomonas campestris* pv *citri*
- 414. *Xanthomonas campestris* pv *corylina*
- 415. *Xanthomonas campestris* pv *erythrinae*
- 416. *Xanthomonas campestris* pv *hyacinthi*
- 417. *Xanthomonas campestris* pv *khayae*

- 418. *Xanthomonas campestris* pv *manihotis*
- 419. *Xanthomonas campestris* pv *oryzae*
- 420. *Xanthomonas campestris* pv *oryzicola*
- 421. *Xanthomonas campestris* pv *phormicola*
- 422. *Xanthomonas campestris* pv *vasculorum*
- 423. *Xanthomonas campestris* pv *versicatoria*
- 424. *Xanthomonas fragariae*
- 425. *Xanthomonas gorlencovianum*
- 426. *Xanthomonas* spp
- 427. *Xanthomonas panici*
- 428. *Yam mosaic virus*

**TABLE 3**  
**POR TS OF ENTRY**

The harbours in	Cape Town, Durban, East London, Gqeberha, Ngqura and Richards Bay,
The container depots in	Cape Town, City Deep, Durban, East London, Port Elizabeth, and Terminals (Pretcon and Eastcon)
The international airports	Cape Town International Airport, King Shaka International Airport, Kruger Mpumalanga International Airport, Lanseria International Airport, O.R. Tambo International Airport and Port Elizabeth International Airport
The border control ports at	Beitbridge, Caledonspoort, Ficksburg, Golela, Groblesbridge, Jeppesreef, Kopfontein, Kosibay, Lebombo, Mahamba, Mananga, Maserubridge, Nakop, Oshoek, Quacha'snek, Ramatlabama, Skilpadshek, Vanrooyenshek and Vioolsdrift
The Main Post Offices in	Cape Town, Durban, Johannesburg and Port Elizabeth

*[Amended by R. 57 of January 1999,  
R. 1058 of 27 October 2006,  
R. 2855 of 15 December 2022]*