GOVERNMENT NOTICES

DEPARTMENT OF AGRICULTURE, FORESTRY AND FISHERIES

No. R. 70

12 February 2010

FERTILIZERS, FARM FEEDS, AGRICULTURAL REMEDIES AND STOCK REMEDIES ACT, 1947 (ACT NO. 36 OF 1947)

FARM FEEDS REGULATIONS: AMENDMENT

The Minister for Agriculture, Forestry and Fisheries, acting under Section 23 of the Fertilizers, Farm Feeds, Agricultural Remedies and Stock Remedies Act, 1947 (Act No. 36 of 1947), made amendments to the regulations in the schedule

SCHEDULE

1. In this schedule "the Regulations" means regulations published by government notice no. R.1087 of 3 November 2006.

Substitution of Table 2 of the Regulations

2. The Regulations are hereby amended by the substitution of Table 2 with the following table;

SUBSTANCE, PRODUCTS	FARM FEEDS	MAXIMUM CONTENT IN mg/kg (ppm) relative to a farm feed with a moisture content of 120g/kg
(1)	(2)	(3)
Substances (ions or elements)		
1. Arsenic	Feed ingredients with the exception of:	2
	meal made from grass, from dried Lucerne and from dried clover and dried sugar beet pulp and dried molasses sugar beet pulp	4
	paim kernel expeller	4(*)
	phosphates and calcareous marine algae	10
	calcium carbonate	15
	magnesium oxide	20
	feedstuffs (farm feed) obtained from the processing of fish or other marine animals	25(*)
	seaweed meal and feed ingredients derived from seaweed (kelp)	40(*)

TABLE 2 UNDESIRABLE SUBSTANCES IN ANIMAL FEEDS [REG. 11 (3)]

(1) (2) Additives belonging t functional group of cc of trace elements exc copper sulphate pent and copper carbonate zinc oxide, mangane: and copper oxide Complete farm feeds exception of: complete farm feeds complete farm feeds complete feeds for fu Supplements/concern the exception of: maximum levels refer to an analytical Ingredients with the exception of: determination of lead, whereby extraction is performed in nitric acid (5% w/w) for 30 minutes at boiling for the exception of	ompounds cept: tahydrate 50 te, ese oxide 100
functional group of coordinate elements excoordinate elements elements excoordinate elements excoordinate elements elements elements excoordinate elements el	ompounds cept: tahydrate 50 te, ese oxide 100
and copper carbonate zinc oxide, mangane: and copper oxide Complete farm feeds exception of: complete farm feeds complete feeds for fu Supplements/concent the exception of: mineral products 2.Lead Maximum levels refer to an analytical determination of lead, whereby extraction is performed in nitric acid (5% w/w) for 30 minutes at boiling	te, ese oxide 100
and copper oxideand copper oxideComplete farm feeds exception of:complete farm feeds complete feeds for fuSupplements/concent the exception of:Supplements/concent the exception of:Ingredients with the exception of lead, whereby extraction is performed in nitric acid (5% w/w) for 30 minutes at boiling	
 exception of: complete farm feeds complete feeds for fu Supplements/concent the exception of: Supplements/concent the exception of: mineral products Ingredients with the exception of lead, whereby extraction is performed in nitric acid (5% w/w) for 30 minutes at boiling 	s with the 2
 complete feeds for full Supplements/concent the exception of: mineral products Lead Maximum levels refer to an analytical determination of lead, whereby extraction is performed in nitric acid (5% w/w) for 30 minutes at boiling 	
2.Lead Maximum levels refer to an analytical determination of lead, whereby extraction is performed in nitric acid (5% w/w) for 30 minutes at boiling	
2.Lead Maximum levels refer to an analytical determination of lead, whereby extraction is performed in nitric acid (5% w/w) for 30 minutes at boiling	ntrates with 4
Maximum levels refer to an analytical determination of lead, whereby extraction is performed in nitric acid (5% w/w) for 30 minutes at boiling	12
temperature. Equivalent extraction procedures can be applied for which it can be demonstrated that the used extraction procedure has an equal efficiency.	
green fodder (rougha	ages) 40(**)
phosphates and calc marine algae	careous 15
calcium carbonate	20
yeast	. 5
Additives belonging t functional group of co of trace elements (mi products) except:	

SUBSTANCE, PRODUCTS	FARM FEEDS	MAXIMUM CONTENT IN mg/kg (ppm) relative to a farm feed with a moisture content of 120g/kg
(1)	(2)	(3)
	zinc oxide	400(**)
	manganous oxide, iron, carbonate, copper carbonate	200(**)
	Additives belonging to the functional groups of binders and anti-caking agents except:	30(**)
	clinoptilolite of volcanic origin	60(**)
	premixtures	200(**)
	Complementary feedingstuffs (supplements/concentrates) with the exception of:	10
	mineral feedingstuffs (mineral products)	15
	Complete farm feeds	5
3. Fluorine	Feed Ingredients with the exception of:	150
	feed ingredients of animal origin with the exception of marine crustaceans such as marine krill	500
	marine krill	3000
	phosphates	2000
	calcium carbonate	350
	magnesium oxide	600
	calcareous marine algae	1000
	vermiculite (E561)	3000
	complementary feedingstuffs (supplements/concentrates) containing less than 4% phosphorus	500

•

7

SUBSTANCE, PRODUCTS	FARM FEEDS	MAXIMUM CONTENT IN mg/kg (ppm) relative to a farm feed with a moisture content of 120g/kg
(1)	(2)	(3)
· · · · · · · · · · · · · · · · · · ·	containing more than 4% phosphorus	125 per 1% phosphorus
	Complete farm feeds with the exception of:	. 150
	complete feeds for lactating cattle, sheep and goats	30
	other	50
	complete feeds for pigs	100
	complete feeds for poultry	350
	complete feeds for chicks	250
4.Mercury	Feed ingredients except feed ingredients produced by the processing of fish or other marine animals	0.1
	Feed ingredients produced by the processing of fish or other marine animals	0.5
	Complete feeds except for dogs and cats	0.1
	Complete feeds for dogs and cats	0.4
	Concentrates/supplements except complementary food for dogs and cats	0.2
5. Nitrites	Fish meal	60 (expressed as sodium nitrite)
	Complete feeds excluding: ingredients intended for pets except birds and aquarium fish	15 (expressed as sodium nitrite)

SUBSTANCE, PRODUCTS	FARM FEEDS	MAXIMUM CONTENT IN mg/kg (ppm) relative to a farm feed with a moisture content of 120g/kg
· (1)	(2)	(3)
6. Cadmium	Ingredients of vegetable origin	1
	Feed material (ingredients) of animals origin	2
	Feed material of mineral origin (mineral products) except:	2
	phosphates	10
	Additives belonging to the functional group of compounds of trace elements (mineral products) except:	10
	copper oxide, manganous oxide, zinc oxide and manganous sulphate monohydrate.	30
	additives belonging to the functional groups of binders and anti-caking agents	2
	premixtures	15
	mineral feedingstuffs (Mineral products) containing less than 7% phosphorus	5
	containing more than 7% phosphorus	0.75 per 15 phosphorus with a maximum of 7.5
	complementary feedingstuffs (supplements/concentrates) for pet animals	2
	other complementary feedingstuffs (supplements/concentrates)	0.5
•	complete feedingstuffs (farm feeds) for cattle, sheep and goats and feedingstuffs for fish except	1

SUBSTANCE, PRODUCTS	FARM FEEDS	MAXIMUM CONTENT IN mg/kg (ppm) relative to a farm feed with a moisture content of 120g/kg
(1)	(2)	(3)
	complete feedingstuffs (farm feeds) for pets complete feedingstuffs (Farm feeds) for calves, lambs and kids of other completefeedingstuffs (farm feeds)	2 0.5
7.Copper	Feed for free-range meat pigs	150
•	Piglets up to 70 days	250
	Bovine before the start of rumination	15
	Milk replacers	25
	Bovines	35
	Other complete feedingstuffs	
	Ovine	22
	Fish ,	25
	Crustaceans	50
	Other species	30
8.Nickel	Fodder fats	50(based on fat)
9.Zinc	Feed for free-range meat pigs	250
	Piglets up to 70 days	3100
	Pet animals	250
	Fish	200
	Milk replacers	200
	Other species	150

SUBSTANCE, PRODUCTS	FARM FEEDS	MAXIMUM CONTENT IN mg/kg (ppm) relative to a farm feed with a moisture content of 120g/kg
(1)	(2)	(3)
10 Aflatoxins B1	Feed ingredients with the exception of:	0.05
	groundnut, copra, palm-kernel, cotton seed, maize and products derived from the processing thereof	0.02
	Complete farm feeds for cattle, sheep and goats with the exception of:	0.05
	dairy cattle	0.005
	calves and lambs	0.01
	complete feeds for pigs and poultry (except young animals)	0.02
	other complete farm feeds (including pets)	0.01
	maize products intended for feedlot	300000
	supplement/concentrates for cattle, sheep and goats (except for dairy animals, calves and lambs)	0.05
11. Deoxynivalenol (DON)	Feeding stuffs on full ration basis for:	
•	Pigs	1
	cattle	5
· · · .	calves up to 4 months	2
	dairy cattle	3
	poultry	4
	pets	1

SUBSTANCE, PRODUCTS	FARM FEEDS	MAXIMUM CONTENT IN mg/kg (ppm) relative to a farm feed with a moisture content of 120g/kg
(1)	(2)	(3)
12. Fumonisin B1	Horses and pets	5
	Pigs	10
	Beef and poultry	50
	Fish	10
13. Ochratoxin A	Feeding stuffs on full ration basis for:	
	Pigs	0.05
14. Zearalenone	poultry	0.2
	Feeding stuffs on full ration basis for:	
	sows and pigs	5
	piglets	3
4.5. Nitrocominae	calves and dairy cattle	0.5
15. Nitrosamines 15.1 Nitrosodiethylamine		1
15.2 Nitrosodimethylamine		1
16. Ruminant protein and by-product	Cattle, sheep, goat and game	0
17. Dioxins (sum of polychlorinated dibenzo-para-dioxins (PCDDs) and polychlorinated dibenzofurans (PCDFs)***	Feed materials of plant origin with the exception of vegetable oils and their by-products	0.75(****)
	Vegetable oils and their by- products	0.75(****)
	Feed material of mineral origin	1(****)
	Frying fats and oils	250µg/kg(based on fat)
	Feed materials of animal origin (where fat content >2%fat)except fish oil	50µg/kg(based on fat)

SUBSTANCE, PRODUCTS	FARM FEEDS	MAXIMUM CONTENT IN mg/kg (ppm) relative to a farm feed with a moisture content of 120g/kg
(1)	(2)	(3)
	Feed materials of animal origin (where fat content <2% fat)	200µg/kg(based on fat)
18. Polychlorbiphenols (Pcb's)	Feed materials of plant origin with the exception of vegetable oils	1.25µg/kg
	Compound feeding stuffs with the exception for pet food	1.5µg/kg
	Feeding stuff for pet	7µg/kg
	Premixtures	1.5µg/kg
	Feed additives	1.5µg/kg
19. Hydrocyanic acid	Feed ingredients with the exception of:	50
	linseed	250
	linseed cakes	350
•	manioc products and almond cakes	100
	complete feeds	50
20. Hydrocarbons (C10 – C40)	Animal fats, with the exception of:	400
	raw fish oil	3000
	vegetable oil(except sunflower oil)	400
	sunflower oil and sunflower fatty acids	1000
	vegetable fatty acids incl. mixes of fatty acids(except sunflower fatty acids)	3000
	complete feeds for chickens	10

SUBSTANCE, PRODUCTS	FARM FEEDS	MAXIMUM CONTENT IN mg/kg (ppm) relative to a farm feed with a moisture content of 120g/kg
(1)	(2)	(3)
21. Free gossypol	Feed ingredients with the exception of:	20
	cotton seed cakes	1 200
	cotton seed	5 000
	Complete farm feeds with the exception of:	20
	complete feeds for cattle, sheep and goats	500
	complete feeds for poultry (except laying hens) and calves	100
	complete feeds for rabbits and pigs (except piglets)	60
22. Theobromine	Complete farm feeds with the exception of:	300
	complete feedingstuffs for cattle	700
	complete feedingstuffs for pigs,	200
	complete feedingstuffs for dogs, rabbits, horses and fur animals	50
23. Volatile mustard oil	Feed ingredients with the exception of:	100
	rape seed cakes	4 000 (expressed as allyl isothiocyanate)
	Complete farm feeds with the exception of:	150 (expressed as allyl isothiocyanate)
	complete feeds for cattle, sheep and goats (except young animals)	1 000 (expressed as allyl isothiocyanate)
	complete feeds for pigs (except	500

SUBSTANCE, PRODUCTS	FARM FEEDS	MAXIMUM CONTENT IN mg/kg (ppm) relative to a farm feed with a moisture content of 120g/kg
(1)	(2)	(3)
	piglets) and poultry	(expressed as allyl isothiocyanate)
24. Vinal thiooxazolidone (vinyloxazolidine thione)	Complete feeds for poultry with the exception of:	1 000
	complete feeds for laying hens	500
25. Rye ergot (<i>Clavicept purpurea</i>)	All farm feeds containing unground cereals	1 000
26. Weed seeds and unground and uncrushed fruit containing alkaloids, glucosides or other toxic substances separately or in combination including	All farm feeds	3 000
(a) Lolium temulentum L,		1 000
(b) Lolium remotum Schrank,		1 000
(c) Datura stramonium L.		1 000
27. Seeds and husks from <i>Ricinus</i> communis L., <i>Croton tiglium</i> L. and <i>Arbus precatorius</i> L. as well as their processed derivatives (*****), separately or in combination	All farm feeds	10
28. <i>Crotalaria</i> spp.	All farm feeds	100
29. Aldrin singly or combined expressed as dieldrin	All farm feeds with the exception of:	0,01
	fats	0,02
	cattle	0.05
	laying hen	0.025
	broiler	0.025

SUBSTANCE, PRODUCTS	FARM FEEDS	MAXIMUM CONTENT IN mg/kg (ppm) relative to a farm feed with a moisture content of 120g/kg
(1)	(2)	(3)
30. Camphechlor (Toxaphene)	All farm feeds	0,1
31. Chlordane (sum of cis-and trans- isomers and of oxychlordane,	All farm feeds with the exception of:	0,02
expressed as chlordane)	fats	0,05
	feeding stuff for fish	0.05
32. 2,4-Dichlorophenoxyacetic acid	Feeding stuff for poultry,	18
	goats	480
33. Endosulfan (sum of alpha- and beta-somers and of endosulfansulphate expressed	All farm feeds with the exception of:	0,1
as endosulfan)	maize	0,2
•	oilseeds	0,5
	complete feeds for fish	0,005
34. Endrin (sum of endrin and delta ketoi-endrin, expressed as endrin)	All farm feeds with the exception of:	0,01
endiny	fats	0,05
35. Heptachlor (sum of heptachlor and of heptachlor-epoxide, expressed as oxidized)	All farm feeds with the exception of:	0,01
	fats	0,2
36. Hexachlorobenzene (HCB)	All farm feeds with the exception of:	0,01
	fats	0,2
37. Hexachlorocyclo-hexane (HCH)	All farm feeds with the exception of fat	0.02
37.1 alpha-isomer	All farm feeds with the exception of:	0,02
	fats	0,2

.

SUBSTANCE, PRODUCTS	FARM FEEDS	MAXIMUM CONTENT IN mg/kg (ppm) relative to a farm feed with a moisture content of 120g/kg
(1)	(2)	(3)
37.2 beta-isomer	Compound farm feed with the exception of:	0,01
•	feeding stuffs for dairy cattle	0,005
37.3 gamma-isomer	Feed ingredients with the exception of:	0,2
	fats	2,0
38. Parathion	Protein concentrates for pigs and poultry	3
39. Melamine, melame, meleme, ammeline, ammelide and cyanuric acid	Feed ingredients and complete feed for livestock with the exception of:	2.5
	feeding stuffs for dairy cattle	2.0
	feed ingredients and complete pet foods for pets	2.5
40. Total mould count	Feed ingredients and complete feed for all species	5000 cfu/kg
41. Escherica Coli 0157:H7	Feed ingredients and complete feed for all species	10 cfu/kg
42. Enterobacteriaceae TEC	Feed ingredients and complete feed for all species	1000 cfu/kg
43. Salmonella in 25g	Feed ingredients and complete feed for all species	0 cfu/kg
44. Clostridium	Feed ingredients and complete feed for all species	10 cfu/kg

SUBSTANCE, PRODUCTS	FARM FEEDS	MAXIMUM CONTENT IN mg/kg (ppm) relative to a farm feed with a moisture content of 120g/kg
(1)	(2)	(3)
(1) A. Botanical impurities Apricots – Prunus armeniaca L. Bitter almond – Prunus dulcis (Mill.) D.A. Webb var. amara (DC.) Focke (= Prunus amygdalus Batsch var.amara (DC.) Focke) Wild camelina – Camelina sativa (L). Crantz Mowrah, Bassia, Madhuca – Madhuca longifolia (L.) Macbr. (=Bassia longifolia L. = Illipe malabroum Eng1.) Madhuca indica Gmelin (I = Bassia latifolia (Roxb.) = Illipe latifolia (Roxb.) F. Mueller) Purghera – Jatropha curcas L. Indian mustard – Brassica juncea (L.) Czern. And Coss.ssp. integrifolia (West.) Thell. Sareptian mustard – Brassica juncea (L.) Czern. And Coss.ssp. juncea	(2) All farm feeds	

SUBSTANCE, PRODUCTS	FARM FEEDS	MAXIMUM CONTENT IN mg/kg (ppm) relative to a farm feed with a moisture content of 120g/kg
(1)	(2)	(3)
Chinese mustard – Brassica Juncea (L.) Czern and Coss. Ssp. Junica var lutea Batelin Black mustard – Brassica nigra (L.) Koch Ethiopian mustard – Brassica carinata A. Braun	All farm feeds	Seeds and fruits of the plant species listed opposite as well their processed derivatives may only be present in feed ingredients in trace quantities not quantitatively determinable

- * Upon request of the competent authorities, the responsible operator must perform an analysis to demonstrate that the content of inorganic arsenic is lower than 2ppm. This analysis is of particular importance for the seaweed species *Hizikia fusiforme*.
- ** Maximum levels refer to an analytical determination of cadmium, whereby extraction is performed in nitric acid (5% w/w) for 30 minutes at boiling temperature. Equivalent extraction procedures can be applied for which it can be demonstrated that the used extraction procedure has equal extraction efficiency.
- *** Expressed in World Health Organisation (WHO) toxic equivalences, using the WHO-TEFs (toxic equivalency factors, 1997(#)
- **** Upper-bound concentrations; upper-bound concentrations are calculated on the assumption that all values of the different congeners below the limit of quantification are equal to the limit of quantification.
- **** In so far determinable by analytical microscopy.
- # WHO-TEFs for human risk assessment based on the conclusions of the World Health Organisations meeting, Sweden, 15-18 June 1997 (van den Berg et al.,(1998) Toxic Equivalency Factors (TEFs) for PCDs, and PCDDs, and PCDFs for humans and for wildlife. Environmental Health Perspectives, 106(12),755).