



agriculture, land reform & rural development

Department:
Agriculture, Land Reform and Rural Development
REPUBLIC OF SOUTH AFRICA

SCIENTIFIC NAME	KINGDOM/ CLASS/DOMAIN	FAMILY/ORDER	Regulatory Status in SA	FRUIT & VEG. (Fresh Produce) listed in:
<i>Abgrallaspis cyanophylli</i>	INSECTA	Diaspididae	QP	<i>Litchi chinensis</i> , <i>Vaccinium</i> sp.
<i>Acalitus essigi</i>	ARACHNIDA	Eriophyidae	QP	<i>Rubus</i> sp.
<i>Acalitus orthomera</i>	ARACHNIDA	Eriophyidae	QP	<i>Rubus</i> sp.
<i>Acalitus phloeocoptes</i>	ARACHNIDA	Eriophyidae	QP	<i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries)
<i>Acanthiophilus helianthi</i>	INSECTA	Tephritidae	QP	<i>Cynara</i> sp.
<i>Accinctapubes albifasciata</i>	INSECTA	Pyralidae	QP	<i>Persea americana</i>
<i>Accuminulia buscki</i>	INSECTA	Tortricidae	QP	<i>Vitis</i> sp.
<i>Accuminulia longiphallus</i>	INSECTA	Tortricidae	QP	<i>Vitis</i> sp.
<i>Aceria litchii</i>	ARACHNIDA	Eriophyidae	QP	<i>Litchi chinensis</i>
<i>Aceria diospyri</i>	ARACHNIDA	Eriophyoidea	QP	<i>Diospyros</i> sp.
<i>Achaea janata</i>	INSECTA	Noctuidae	QP	<i>Punica</i>
<i>Acleris comariana</i>	INSECTA	Tortricidae	QP	<i>Prunus</i> spp. (ex. cherries)
<i>Acremonium diospyri</i>	FUNGUS	Hypocreaceae	QP	<i>Diospyros</i> sp.
<i>Acrobasis pyrivorella</i>	INSECTA	Pyralidae	QP	<i>Pyrus</i> sp.
<i>Acrobasis tricolorella</i>	INSECTA	Pyralidae	QP	<i>Prunus</i> spp. (In. cherries)
<i>Acrobasis vaccinii</i>	INSECTA	Pyralidae	QP	<i>Vaccinium</i> sp.
<i>Acromyrmex octospinosus species complex</i>	INSECTA	Formicidae	QP	<i>Persea americana</i>
<i>Acrosternum hilare</i>	INSECTA	Pentatomidae	QP	<i>Malus</i> sp., <i>Vitis</i> sp.
<i>Actinodochium jenkinsii</i>	FUNGUS	Incertae sedis	QP	<i>Mangifera indica</i>

<i>Aculops pelekassi</i>	ARACHNIDA	Eriophyidae	QP	<i>Citrus</i> sp.
<i>Aculus schlechtendali</i>	ARACHNIDA	Eriophyidae	QP	<i>Malus</i> sp.
<i>Acutaspis umbonifera</i>	INSECTA	Diaspididae	QP	<i>Musa</i> sp.
<i>Adelphocoris lineolatus</i>	INSECTA	Miridae	QP	<i>Fragaria</i> sp.
<i>Adoxophyes orana</i>	INSECTA	Tortricidae	QP	<i>Citrus</i> sp., <i>Litchi chinensis</i> , <i>Malus</i> sp., <i>Phoenix</i> sp., <i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. cherries), <i>Pyrus</i> sp.
<i>Adoxophyes templanata</i>	INSECTA	Tortricidae	QP	<i>Litchi chinensis</i>
<i>Agrotis exclamationis</i>	INSECTA	Noctuidae	QP	<i>Solanum tuberosum</i>
<i>Aleurodicus cocois</i>	INSECTA	Aleyrodidae	QP	<i>Ficus</i> sp., <i>Persea americana</i>
<i>Aleurodicus destructor</i>	INSECTA	Aleyrodidae	QP	<i>Musa</i> sp.
<i>Aleurodicus dispersus</i>	INSECTA	Aleyrodidae	QP	<i>Carica papaya</i> , <i>Carica papaya</i> , <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Ficus</i> sp., <i>Musa</i> sp., <i>Persea americana</i> , <i>Prunus</i> spp. (ex. cherries), <i>Solanum melongena</i>
<i>Aleurodicus dugesii</i>	INSECTA	Aleyrodidae	QP	<i>Persea americana</i>
<i>Aleurodicus pulvinatus</i>	INSECTA	Aleyrodidae	QP	<i>Persea americana</i>
<i>Alternaria cerasidanica</i>	FUNGUS	Pleosporales	QP	<i>Prunus</i> spp. (In. cherries)
<i>Alternaria cichorii</i>	FUNGUS	Pleosporales	QP	<i>Lactuca</i> sp.
<i>Alternaria gaisen</i>	FUNGUS	Pleosporales	QP	<i>Pyrus</i> sp.
<i>Alternaria mali</i>	FUNGUS	Pleosporales	QP	<i>Malus</i> sp.
<i>Alternaria parviclaespitosa</i>	FUNGUS	Pleosporales	QP	<i>Vaccinium</i> sp.
<i>Alternaria viticola</i>	FUNGUS	Pleosporales	QP	<i>Vitis</i> sp.
<i>Amblypelta cocophaga</i>	INSECTA	Coreidae	QP	<i>Mangifera indica</i>
<i>Amblypelta lutescens</i>	INSECTA	Coreidae	QP	<i>Litchi chinensis</i> , <i>Musa</i> sp.
<i>Amblypelta nitida</i>	INSECTA	Coreidae	QP	<i>Litchi chinensis</i>
<i>Ametastegia glabrata</i>	INSECTA	Tenthredinidae	QP	<i>Malus</i> sp.
<i>Amphitetranychus viennensis</i>	ARACHNIDA	Tetranychidae	QP	<i>Ficus</i> sp., <i>Fragaria</i> sp., <i>Malus</i> sp., <i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. cherries), <i>Pyrus</i> sp., <i>Vaccinium</i> sp., <i>Vitis</i> sp.

<i>Amyelois transitella</i>	INSECTA	Pyralidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Vitis</i> sp.
<i>Anarsia lineatella</i>	INSECTA	Gelechiidae	QP	<i>Malus</i> sp., <i>Mangifera indica</i> , <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries)
<i>Anastrepha bistrigata</i>	INSECTA	Tephritidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Mangifera indica</i>
<i>Anastrepha chicalayae</i>	INSECTA	Tephritidae	QP	<i>Mangifera indica</i> , <i>Prunus</i> spp. (ex. cherries)
<i>Anastrepha distincta</i>	INSECTA	Tephritidae	QP	<i>Carica papaya</i> , <i>Citrus latifolia</i> , <i>Citrus</i> sp.
<i>Anastrepha fraterculus</i>	INSECTA	Tephritidae	QP	<i>Actinidia</i> sp., <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Diospyros</i> sp., <i>Ficus</i> sp., <i>Fragaria</i> sp., <i>Malus</i> sp., <i>Mangifera indica</i> , <i>Persea americana</i> , <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Punica</i> sp., <i>Pyrus</i> sp., <i>Solanum melongena</i> , <i>Vitis</i> sp.
<i>Anastrepha grandis</i>	INSECTA	Tephritidae	QP	<i>Citrullus</i> sp., <i>Cucumis</i> sp., <i>Cucurbita</i> sp.
<i>Anastrepha ludens</i>	INSECTA	Tephritidae	QP	<i>Carica papaya</i> , <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Diospyros</i> sp., <i>Malus</i> sp., <i>Mangifera indica</i> , <i>Persea americana</i> , <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Punica</i> sp., <i>Pyrus</i> sp., <i>Solanum melongena</i>
<i>Anastrepha obliqua</i>	INSECTA	Tephritidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Diospyros</i> sp., <i>Malus</i> sp., <i>Mangifera indica</i> , <i>Passiflora edulis</i> , <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries).
<i>Anastrepha pseudoparallela</i>	INSECTA	Tephritidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Mangifera indica</i> , <i>Passiflora edulis</i>
<i>Anastrepha serpentina</i>	INSECTA	Tephritidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Malus</i> sp., <i>Persea americana</i> , <i>Prunus avium</i> , <i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. cherries).
<i>Anastrepha sororcula</i>	INSECTA	Tephritidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Mangifera indica</i>
<i>Anastrepha striata</i>	INSECTA	Tephritidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Mangifera indica</i> , <i>Persea americana</i> , <i>Prunus</i> spp. (ex. cherries)
<i>Anastrepha suspensa</i>	INSECTA	Tephritidae	QP	<i>Capsicum</i> sp., <i>Carica papaya</i> , <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Diospyros</i> sp., <i>Ficus</i> sp., <i>Malus</i> sp., <i>Mangifera indica</i> , <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Punica</i> sp.
<i>Anastrepha turpiniae</i>	INSECTA	Tephritidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Mangifera indica</i>
<i>Anastrepha zuelaniae</i>	INSECTA	Tephritidae	QP	<i>Mangifera indica</i>
<i>Andean potato latent tymovirus</i>	VIRUS	Tymovirales	QP	<i>Solanum tuberosum</i>
<i>Anoplophora chinensis</i>	INSECTA	Cerambycidae	QP	<i>Litchi chinensis</i>
<i>Anthomonus emigratella</i>	INSECTA	Curculionidae	QP	<i>Solanum melongena</i>

<i>Anthonomus bisignifer</i>	INSECTA	Curculionidae	QP	<i>Fragaria</i> sp.
<i>Anthonomus consors</i>	INSECTA	Curculionidae	QP	<i>Prunus</i> spp. (In. cherries)
<i>Anthonomus eugenii</i>	INSECTA	Curculionidae	QP	<i>Capsicum</i> sp., <i>Physalis peruviana</i> , <i>Solanum tuberosum</i>
<i>Anthonomus piri</i>	INSECTA	Curculionidae	QP	<i>Malus</i> sp.
<i>Anthonomus quadrigibbus</i>	INSECTA	Curculionidae	QP	<i>Malus</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. cherries)
<i>Anthonomus rectirostris</i> Syn. <i>Furcipes rectirostris</i>	INSECTA	Curculionidae	QP	<i>Prunus</i> spp. (In cherries), <i>Prunus</i> spp. (ex. cherries)
<i>Anthonomus signatus</i>	INSECTA	Curculionidae	QP	<i>Fragaria</i> sp.
<i>Antichloris viridis</i>	INSECTA	Arctiidae	QP	<i>Musa</i> sp.
<i>Aonidiella citrina</i>	INSECTA	Diaspididae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Ficus</i> sp., <i>Prunus</i> spp. (ex. cherries), <i>Vitis</i> sp.
<i>Aonidiella inornata</i>	INSECTA	Diaspididae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Mangifera indica</i>
<i>Aonidomytilis albus</i>	INSECTA	Diaspididae	QP	<i>Mangifera indica</i>
<i>Aphanostigma jakusuiense</i>	INSECTA	Phylloxeridae	QP	<i>Pyrus</i> sp.
<i>Aphomia sabella</i>	INSECTA	Pyralidae	QP	<i>Phoenix</i> sp.
<i>Apiognomonina erythrostoma</i>	FUNGUS	Diaspididae	QP	<i>Prunus</i> spp. (ex.cherries)
<i>Apocheima cinerarium</i>	INSECTA	Geometridae	QP	<i>Malus</i> sp.
<i>Apolygus lucorum</i>	INSECTA	Miridae	QP	<i>Vitis</i> sp.
<i>Archips argyrospila</i>	INSECTA	Tortricidae	QP	<i>Vaccinium</i> spp.
<i>Archips argyrosipilus</i>	INSECTA	Tortricidae	QP	<i>Actinidia</i> sp., <i>Citrus</i> sp., <i>Malus</i> sp., <i>Prunus</i> spp. (ex. cherries), <i>Vaccinium</i> sp.
<i>Archips breviplicanus</i>	INSECTA	Tortricidae	QP	<i>Fragaria</i> sp.
<i>Archips crataeganus</i>	INSECTA	Tortricidae	QP	<i>Malus</i> sp.
<i>Archips fuscocupreanus</i>	INSECTA	Tortricidae	QP	<i>Fragaria</i> sp., <i>Malus</i> sp.
<i>Archips podana</i>	INSECTA	Tortricidae	QP	<i>Malus</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (In. Cherries), <i>Prunus</i> spp. (ex. cherries)
<i>Archips rosana</i>	INSECTA	Tortricidae	QP	<i>Citrus</i> sp., <i>Malus</i> sp., <i>Prunus</i> spp. (ex. cherries)
<i>Archips semistructa</i>	INSECTA	Tortricidae	QP	<i>Fragaria</i>

<i>Archips xylosteanus</i>	INSECTA	Tortricidae	QP	<i>Malus</i> sp.
<i>Argyresthia assimilis</i>	INSECTA	Tortricidae	QP	<i>Malus</i> sp.
<i>Argyresthia conjugella</i>	INSECTA	Tortricidae	QP	<i>Malus</i> sp.
<i>Argyrotaenia amatana</i>	INSECTA	Tortricidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp.
<i>Argyrotaenia citrana</i>	INSECTA	Tortricidae	QP	<i>Actinidia</i> sp., <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Fragaria</i> sp., <i>Malus</i> sp., <i>Persea americana</i> , <i>Prunus persica</i> , <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Vaccinium</i> sp., <i>Vitis</i> sp.
<i>Argyrotaenia franciscana</i>	INSECTA	Tortricidae	QP	<i>Vaccinium</i> sp.
<i>Argyrotaenia kimballi</i>	INSECTA	Tortricidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp.
<i>Argyrotaenia ljungiana</i>	INSECTA	Tortricidae	QP	<i>Malus</i> sp., <i>Prunus</i> spp. (ex. cherries), <i>Vitis</i> sp.
<i>Argyrotaenia velutinana</i>	INSECTA	Tortricidae	QP	<i>Vaccinium</i> sp., <i>Vitis</i> sp.
<i>Artena dotata</i>	INSECTA	Erebidae	QP	<i>Vitis</i> sp.
<i>Aspergillus japonicus</i>	FUNGUS	Eurotiales	QP	<i>Prunus</i> spp. (ex. cherries)
<i>Aspergillus restrictus</i>	FUNGUS	Eurotiales	QP	<i>Litchi chinensis</i>
<i>Aspidiotus excisus</i>	INSECTA	Diaspididae	QP	<i>Citrus</i> sp.
<i>Bactrocera aquilonis</i>	INSECTA	Tephritidae	QP	<i>Capsicum</i> sp., <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Litchi chinensis</i> , <i>Malus</i> sp., <i>Mangifera indica</i> , <i>Musa</i> sp., <i>Persea americana</i> , <i>Prunus</i> spp. (ex. cherries), <i>Punica</i> sp., <i>Vitis</i> sp.
<i>Bactrocera cacuminata</i>	INSECTA	Tephritidae	QP	<i>Solanum melongena</i>
<i>Bactrocera carambolae</i>	INSECTA	Tephritidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Mangifera indica</i> , <i>Musa</i> sp., <i>Persea americana</i> , <i>Punica</i> sp.
<i>Bactrocera caudata</i>	INSECTA	Tephritidae	QP	<i>Citrus</i> sp.
<i>Bactrocera correcta</i>	INSECTA	Tephritidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Mangifera indica</i> , <i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. cherries)
<i>Bactrocera cucumis</i>	INSECTA	Tephritidae	QP	<i>Carica papaya</i> , <i>Citrullus</i> sp., <i>Cucumis</i> sp., <i>Cucurbita</i> sp.
<i>Bactrocera curvipennis</i>	INSECTA	Tephritidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Mangifera indica</i>
<i>Bactrocera diversa</i>	INSECTA	Tephritidae	QP	<i>Citrus</i> sp., <i>Mangifera indica</i>
<i>Bactrocera dorsalis</i>	INSECTA	Tephritidae	QP- under official control	<i>Capsicum</i> sp., <i>Carica papaya</i> , <i>Carica papaya</i> , <i>Citrullus</i> sp., <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Cucumis</i> sp., <i>Cucurbita</i> sp.,

				<i>Diospyros</i> sp., <i>Ficus</i> sp., <i>Litchi chinensis</i> , <i>Malus</i> sp., <i>Mangifera indica</i> , <i>Musa</i> sp., <i>Passiflora edulis</i> , <i>Persea americana</i> , <i>Phoenix</i> sp., <i>Physalis peruviana</i> , <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Punica</i> sp. <i>Pyrus</i> sp., <i>Solanum melongena</i> , <i>Vitis</i> sp.
<i>Bactrocera dorsalis</i> species complex [including <i>B. caryeae</i> , <i>B. kandiensis</i> , <i>B. occipitalis</i> , <i>B. pyriformis</i>]	INSECTA	Tephritidae	QP	<i>Persea americana</i> , <i>Capsicum</i> sp., <i>Citrullus</i> spp., <i>Citrus</i> spp., <i>Litchi chinensis</i> , <i>Mangifera indica</i> , <i>Musa</i> sp., <i>Passiflora edulis</i> , <i>Solanum melongena</i>
<i>Bactrocera facialis</i>	INSECTA	Tephritidae	QP	<i>Ananas</i> sp., <i>Capsicum</i> sp., <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Mangifera indica</i> , <i>Passiflora edulis</i> , <i>Persea americana</i> , <i>Prunus</i> spp. (ex. cherries)
<i>Bactrocera frauenfeldi</i>	INSECTA	Tephritidae	QP	<i>Carica papaya</i> , <i>Citrus</i> sp., <i>Mangifera indica</i>
<i>Bactrocera jarvisi</i>	INSECTA	Tephritidae	QP	<i>Carica papaya</i> , <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Litchi chinensis</i> , <i>Malus</i> sp., <i>Mangifera indica</i> , <i>Musa</i> sp., <i>Prunus</i> spp. (ex. cherries), <i>Punica</i> sp.
<i>Bactrocera kandiensis</i>	INSECTA	Tephritidae	QP	<i>Mangifera indica</i> , <i>Punica</i> sp.
<i>Bactrocera kirki</i>	INSECTA	Tephritidae	QP	<i>Ananas</i> sp., <i>Capsicum</i> sp., <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Mangifera indica</i> , <i>Passiflora edulis</i> , <i>Prunus</i> spp. (ex. cherries)
<i>Bactrocera latifrons</i>	INSECTA	Tephritidae	QP	<i>Capsicum</i> sp., <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Cucumis</i> sp., <i>Litchi chinensis</i> , <i>Musa</i> sp., <i>Physalis peruviana</i> , <i>Solanum melongena</i> .
<i>Bactrocera melanotus</i>	INSECTA	Tephritidae	QP	<i>Citrus</i> spp., <i>Mangifera indica</i>
<i>Bactrocera minax</i>	INSECTA	Tephritidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp.
<i>Bactrocera musae</i>	INSECTA	Tephritidae	QP	<i>Carica papaya</i> , <i>Musa</i> sp.
<i>Bactrocera neohumeralis</i>	INSECTA	Tephritidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Ficus</i> sp., <i>Malus</i> sp., <i>Mangifera indica</i> , <i>Passiflora edulis</i> , <i>Prunus</i> spp. (ex. cherries), <i>Rubus</i> sp., <i>Solanum melongena</i> , <i>Vitis</i> sp.
<i>Bactrocera occipitalis</i>	INSECTA	Tephritidae	QP	<i>Mangifera indica</i>
<i>Bactrocera papayae</i>	INSECTA	Tephritidae	QP	<i>Mangifera indica</i> , <i>Prunus</i> spp. (ex. cherries), <i>Punica</i>
<i>Bactrocera passiflorae</i>	INSECTA	Tephritidae	QP	<i>Carica papaya</i> , <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Mangifera indica</i> , <i>Passiflora edulis</i> , <i>Persea americana</i> , <i>Solanum melongena</i> .
<i>Bactrocera pedestris</i>	INSECTA	Tephritidae	QP	<i>Citrus</i> sp.
<i>Bactrocera psidii</i>	INSECTA	Tephritidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Mangifera indica</i> , <i>Passiflora edulis</i> , <i>Prunus</i> spp. (ex. cherries)
<i>Bactrocera pyriformis</i>	INSECTA	Tephritidae	QP	<i>Persea americana</i> , <i>Prunus</i> spp. (ex. cherries)
<i>Bactrocera scutellata</i>	INSECTA	Tephritidae	QP	<i>Citrus</i> sp.

<i>Bactrocera tau</i>	INSECTA	Tephritidae	QP	<i>Citrullus</i> sp., <i>Citrus</i> sp., <i>Cucumis</i> sp., <i>Cucurbita</i> sp., <i>Mangifera indica</i>
<i>Bactrocera trivialis</i>	INSECTA	Tephritidae	QP	<i>Capsicum</i> sp., <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Prunus</i> spp. (ex. cherries)
<i>Bactrocera tryoni</i>	INSECTA	Tephritidae	QP	<i>Actinidia</i> sp., <i>Capsicum</i> sp., <i>Carica papaya</i> , <i>Citrullus</i> sp., <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Diospyros</i> sp., <i>Fragaria</i> sp., <i>Ficus</i> sp., <i>Litchi chinensis</i> , <i>Malus</i> sp., <i>Mangifera indica</i> , <i>Musa</i> sp., <i>Passiflora edulis</i> , <i>Persea americana</i> , <i>Physalis peruviana</i> , <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Punica</i> sp., <i>Pyrus</i> sp., <i>Rubus</i> sp., <i>Solanum melongena</i> , <i>Vitis</i> sp.
<i>Bactrocera tsuneonis</i>	INSECTA	Tephritidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp.
<i>Bactrocera tuberculata</i>	INSECTA	Tephritidae	QP	<i>Mangifera indica</i> , <i>Prunus</i> spp. (ex. cherries)
<i>Bactrocera xanthodes</i>	INSECTA	Tephritidae	QP	<i>Ananas</i> sp., <i>Capsicum</i> sp., <i>Carica papaya</i> , <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Passiflora edulis</i>
<i>Bactrocera zonata</i>	INSECTA	Tephritidae	QP	<i>Carica papaya</i> , <i>Citrullus</i> sp., <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Cucumis</i> sp., <i>Ficus</i> sp., <i>Malus</i> sp., <i>Mangifera indica</i> , <i>Musa</i> sp., <i>Passiflora edulis</i> , <i>Persea americana</i> , <i>Phoenix</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Punica</i> sp., <i>Pyrus</i> sp., <i>Solanum melongena</i> .
<i>Banana bract mosaic Potyvirus</i>	VIRUS	Patatavirales	QP	<i>Musa</i> sp.
<i>Banana Bunchy Top Babuvirus</i>	VIRUS	Mulpavirales	QP-Under Official Control	<i>Musa</i> sp.
<i>Batrachedra amydraula</i>	INSECTA	Coleophoridae	QP	<i>Phoenix</i> sp.
<i>Belonolaimus longicaudatus</i>	NEMATODA	Belonolaimidae	QP	<i>Solanum tuberosum</i>
<i>Biprorulus bibax</i>	INSECTA	Pentatomidae	QP	<i>Citrus</i> sp.
<i>Blastobasis decolorella</i>	INSECTA	Coleophoridae	QP	<i>Malus</i> sp.
<i>Blood disease bacterium of banana</i>	BACTERIUM	Burkholderiales	QP	<i>Musa</i> sp.
<i>Bothynoderes punctiventris</i>	INSECTA	Curculionidae	QP	<i>Solanum tuberosum</i>
<i>Botrytis californica</i>	FUNGUS	Helotiales	QP	<i>Vaccinium</i> sp.
<i>Botrytis caroliniana</i>	FUNGUS	Helotiales	QP	<i>Fragaria</i> sp.
<i>Brachycaudus cardui</i>	INSECTA	Aphididae	QP	<i>Cynara</i> sp.
<i>Brachycorynella asparagi</i>	INSECTA	Aphididae	QP	<i>Asparagus</i> sp.

<i>Brevipalpus chilensis</i>	ARACHNIDA	Tenuipalpidae	QP	<i>Actinidia</i> sp., <i>Citrus</i> sp., <i>Fragaria</i> sp., <i>Malus</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Punica</i> sp., <i>Pyrus</i> sp., <i>Vaccinium</i> sp., <i>Vitis</i> sp.
<i>Brevipalpus juncus</i>	ARACHNIDA	Tenuipalpidae	QP	<i>Citrus</i> sp.
<i>Brevipalpus liliium</i>	ARACHNIDA	Tenuipalpidae	QP	<i>Malus</i> sp., <i>Rubus</i> sp., <i>Vaccinium</i> sp., <i>Vitis</i> sp.
<i>Brevipalpus noranae</i>	ARACHNIDA	Tenuipalpidae	QP	<i>Citrus</i> sp.
<i>Bryobia repensi</i>	ARACHNIDA	Tetranychidae	QP	<i>Malus</i> sp.
<i>Byturus tomentosus</i>	INSECTA	Byturidae	QP	<i>Malus</i> sp., <i>Rubus</i>
<i>Cacoecimorpha pronubana</i>	INSECTA	Tortricidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp.
<i>Cacopsylla pyri</i>	INSECTA	Psyllidae	QP	<i>Pyrus</i> sp.
<i>Cadra calidella</i>	INSECTA	Pyralidae	QP	<i>Phoenix</i> sp.
<i>Calacarus brionesae</i>	ARACHNIDA	Eriophyidae	QP	<i>Carica papaya</i>
<i>Calepitrimerus baileyi</i>	ARACHNIDA	Eriophyidae	QP	<i>Ananas</i> sp.
<i>Caligo teucer</i>	INSECTA	Nymphalidae	QP	<i>Musa</i> sp.
<i>Caliothrips faciatius</i>	INSECTA	Thripidae	QP	<i>Asparagus</i> sp., <i>Fragaria</i> sp.
<i>Candidatus liberibacter americanus</i>	BACTERIUM	Rhizobiales	QP	<i>Citrus</i> sp.
<i>Candidatus Liberibacter asiaticus</i>	BACTERIUM	Rhizobiales	QP-Under Official Control	<i>Citrus</i> sp.
<i>Candidatus phytoplasma mali</i>	BACTERIUM	Acholeplasmataceae	QP	<i>Malus</i> sp.
<i>Capitophorus elaeagni</i>	INSECTA	Aphididae	QP	<i>Cynara</i> sp.
<i>Carposina niponensis</i>	INSECTA	Carposinidae	QP	<i>Malus</i> sp., <i>Prunus</i> spp. (ex. cherries), <i>Pyrus</i> sp., <i>Vitis</i> sp.
<i>Carposina sasakii</i>	INSECTA	Carposinidae	QP	<i>Malus</i> sp., <i>Prunus</i> spp. (ex. cherries), <i>Pyrus</i> sp.
<i>Castnia licoides</i>	INSECTA	Castniidae	QP	<i>Musa</i> sp.
<i>Castnia penelope</i>	INSECTA	Castniidae	QP	<i>Ananas</i> sp.
<i>Cateremna quadriguttella</i>	INSECTA	Pyralidae	QP	<i>Litchi chinensis</i>
<i>Cavariella aegopodii</i>	INSECTA	Aphididae	QP	<i>Apium</i> sp.

<i>Cavariella pastinaceae</i>	INSECTA	Aphididae	QP	<i>Apium</i> sp.
<i>Cenopalpus lanceolatisetae</i>	ARACHNIDA	Tenuipalpidae	QP	<i>Citrus</i> sp., <i>Malus</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Pyrus</i> sp.
<i>Cenopalpus pulcher</i>	ARACHNIDA	Tenuipalpidae	QP	<i>Citrus</i> sp., <i>Malus</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Pyrus</i> sp.
<i>Cenopalpus spinosus</i>	ARACHNIDA	Tenuipalpidae	QP	<i>Rubus</i> sp.
<i>Ceratitis anonae</i>	INSECTA	Tephritidae	QP	<i>Mangifera indica</i>
<i>Ceratitis catoirii</i>	INSECTA	Tephritidae	QP	<i>Mangifera indica</i>
<i>Ceratitis fasciventris</i>	INSECTA	Tephritidae	QP	<i>Mangifera indica</i>
<i>Ceratitis malgassa</i>	INSECTA	Tephritidae	QP	<i>Citrus</i> sp., <i>Litchi chinensis</i>
<i>Ceratitis silvestrii</i>	INSECTA	Tephritidae	QP	<i>Mangifera indica</i>
<i>Ceroplastes actiniformis</i>	INSECTA	Coccidae	QP	<i>Mangifera indica</i>
<i>Ceroplastes ceriferus</i>	INSECTA	Coccidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Cucurbita</i> sp., <i>Ficus</i> sp., <i>Litchi chinensis</i> , <i>Malus</i> sp., <i>Persea americana</i> , <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Vaccinium</i> sp.
<i>Ceroplastes cirripediformis</i>	INSECTA	Coccidae	QP	<i>Citrus</i> sp., <i>Ficus</i> sp., <i>Punica</i> sp.
<i>Ceroplastes floridensis</i>	INSECTA	Coccidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Cucurbita</i> sp., <i>Litchi chinensis</i> , <i>Malus</i> sp., <i>Mangifera indica</i> , <i>Musa</i> sp., <i>Persea americana</i> , <i>Punica</i> sp., <i>Solanum melongena</i> , <i>Vaccinium</i> sp.
<i>Ceroplastes grandis</i>	INSECTA	Coccidae	QP	<i>Citrus</i> sp.
<i>Ceroplastes japonicus</i>	INSECTA	Coccidae	QP	<i>Citrus</i> sp., <i>Ficus</i> sp., <i>Mangifera indica</i> , <i>Prunus</i> spp. (ex. cherries), <i>Punica</i> sp.
<i>Ceroplastes pseudoceriferus</i>	INSECTA	Coccidae	QP	<i>Litchi chinensis</i>
<i>Ceroplastes sinensis</i>	INSECTA	Coccidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Litchi chinensis</i> , <i>Mangifera indica</i> , <i>Prunus</i> spp. (ex. cherries), <i>Punica</i> , <i>Vaccinium</i> sp.
<i>Chaetanaphothrips orchidii</i>	INSECTA	Thripidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Musa</i> sp.
<i>Chaetanaphothrips signipennis</i>	INSECTA	Thripidae	QP	<i>Musa</i> sp.
<i>Cherry rasp leaf nepovirus</i>	VIRUS	Picornavirales	QP	<i>Malus</i> sp.
<i>Chileulia stalactitis</i>	INSECTA	Tortricidae	QP	<i>Vitis</i> sp.
<i>Chionaspis salicis</i>	INSECTA	Diaspidae	QP	<i>Vaccinium</i> sp.

<i>Chlidaspis asiatica</i>	INSECTA	Diaspididae	QP	<i>Vitis</i> sp.
<i>Chloropulvinaria polygnota</i>	INSECTA	Coccidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp.
<i>Choristoneura lafauryana</i>	INSECTA	Tortricidae	QP	<i>Fragaria</i> sp.
<i>Choristoneura rosaceana</i>	INSECTA	Tortricidae	QP	<i>Actinidia</i> sp., <i>Apium</i> sp., <i>Fragaria</i> sp., <i>Malus</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Pyrus</i> sp., <i>Rubus</i> sp., <i>Vaccinium</i> sp.
<i>Chrysodeixis eriosoma</i>	INSECTA	Noctuidae	QP	<i>Carica papaya</i> , <i>Lactuca</i> sp., <i>Solanum melongena</i>
<i>Chrysodeixis includens</i>	INSECTA	Noctuidae	QP	<i>Apium</i> sp.
<i>Citripestis sagittiferella</i>	INSECTA	Pyralidae	QP	<i>Citrus</i> sp.
<i>Cladosporium xylophilum</i>	FUNGUS	Mycosphaerellales	QP	<i>Prunus</i> (In. cherries)
<i>Clavibacter michiganensis</i> spp. <i>sepedonicus</i>	BACTERIUM	Actinomycetales	QP	<i>Solanum tuberosum</i>
<i>Clepsis spectrana</i>	INSECTA	Tortricidae	QP	<i>Lactuca</i> sp.
<i>Cnephasia jactatana</i>	INSECTA	Tortricidae	QP	<i>Actinidia</i> sp., <i>Malus</i> sp.
<i>Cnephasia longana</i>	INSECTA	Tortricidae	QP	<i>Vitis</i> sp.
<i>Coccus pseudomagnoliarum</i>	INSECTA	Coccidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Punica</i> sp.
<i>Colaspis hypochlora</i>	INSECTA	Chrysomelidae	QP	<i>Musa</i> sp.
<i>Colletotrichum aenigma</i>	FUNGUS	Phyllachorales	QP	<i>Prunus</i> (In. cherries)
<i>Colletotrichum capsici</i>	FUNGUS	Phyllachorales	QP	<i>Solanum tuberosum</i>
<i>Colletotrichum fioriniae</i>	FUNGUS	Phyllachorales	QP	<i>Vaccinium</i>
<i>Colletotrichum fragariae</i>	FUNGUS	Phyllachorales	QP	<i>Fragaria</i> sp.
<i>Colletotrichum fruticola</i>	FUNGUS	Phyllachorales	QP	<i>Fragaria</i> sp.
<i>Colletotrichum salicis</i>	FUNGUS	Phyllachorales	QP	<i>Vaccinium</i> sp.
<i>Colletotrichum theobromicola</i>	FUNGUS	Phyllachorales	QP	<i>Fragaria</i> sp.
<i>Conogethes punctiferalis</i>	INSECTA	Crambidae	QP	<i>Carica papaya</i> , <i>Citrus</i> sp., <i>Ficus</i> sp., <i>Litchi chinensis</i> , <i>Malus</i> sp., <i>Prunus</i> spp. (ex. cherries), <i>Punica</i> sp., <i>Pyrus</i> sp., <i>Vitis</i> sp.
<i>Conopomorpha cramerella</i>	INSECTA	Gracillariidae	QP	<i>Litchi chinensis</i>

<i>Conopomorpha litchiella</i>	INSECTA	Gracillariidae	QP	<i>Litchi chinensis</i>
<i>Conopomorpha sinensis</i>	INSECTA	Gracillariidae	QP	<i>Litchi chinensis</i>
<i>Conotrachelus aguacatae</i>	INSECTA	Curculionidae	QP	<i>Persea americana</i>
<i>Conotrachelus anaglypticus</i>	INSECTA	Curculionidae	QP	<i>Prunus</i> spp. (ex. cherries)
<i>Conotrachelus nenuphar</i>	INSECTA	Curculionidae	QP	<i>Fragaria</i> sp., <i>Malus</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Vaccinium</i> sp., <i>Vitis</i> sp.
<i>Conotrachelus perseae</i>	INSECTA	Curculionidae	QP	<i>Persea americana</i>
<i>Cryptasasma perseana</i>	INSECTA	Tortricidae	QP	<i>Persea americana</i>
<i>Crypticerya multicatrices</i>	INSECTA	Monophlebidae	QP	<i>Persea americana</i>
<i>Crypticerya palmeri</i>	INSECTA	Monophlebidae	QP	<i>Vitis</i> sp.
<i>Cryptophlebia illepida</i>	INSECTA	Tortricidae	QP	<i>Litchi chinensis</i>
<i>Cryptophlebia ombrodelta</i>	INSECTA	Tortricidae	QP	<i>Litchi chinensis</i>
<i>Ctenopseustis herana</i>	INSECTA	Tortricidae	QP	<i>Vaccinium</i> spp.
<i>Ctenopseustis obliquana</i>	INSECTA	Tortricidae	QP	<i>Actinidia</i> sp., <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Fragaria</i> sp., <i>Malus</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. cherries), <i>Vaccinium</i> sp., <i>Vitis</i> sp.
<i>Ctenopseutis herana</i>	INSECTA	Tortricidae	QP	<i>Vaccinium</i> sp.
<i>Cydia inopinata</i>	INSECTA	Tortricidae	QP	<i>Malus</i> sp., <i>Pyrus</i> sp.
<i>Cydia latiferreana</i>	INSECTA	Tortricidae	QP	<i>Punica</i> sp.
<i>Cytosphaera mangiferae</i>	FUNGUS	Incertae sedis	QP	<i>Mangifera indica</i>
<i>Dacus demmerezi</i>	INSECTA	Tephritidae	QP	<i>Citrullus</i> sp., <i>Cucumis</i> sp., <i>Cucurbita</i> sp.
<i>Dacus solomonensis</i>	INSECTA	Tephritidae	QP	<i>Cucumis</i> sp., <i>Cucurbita</i> sp.
<i>Dasineura mali</i>	INSECTA	Tephritidae	QP	<i>Malus</i> sp.
<i>Deanolis albizonalis</i>	INSECTA	Pyralidae	QP	<i>Mangifera indica</i>
<i>Delia florilega</i>	INSECTA	Anthomyiidae	QP	<i>Lactuca</i> sp.
<i>Deudorix epijarbas</i>	INSECTA	Lycaenidae	QP	<i>Punica</i>

<i>Deudorix epijarbas dido</i>	INSECTA	Lycaenidae	QP	<i>Litchi chinensis</i>
<i>Deudorix epijarbas diovis</i>	INSECTA	Lycaenidae	QP	<i>Litchi chinensis</i>
<i>Deudorix isocrates</i>	INSECTA	Lycaenidae	QP	<i>Citrus</i> sp. <i>Punica</i> sp.
<i>Deudorix livia</i>	INSECTA	Lycaenidae	QP	<i>Punica</i>
<i>Diabrotica balteata</i>	INSECTA	Chrysomelidae	QP	<i>Solanum tuberosum</i>
<i>Diabrotica speciosa</i>	INSECTA	Chrysomelidae	QP	<i>Vaccinium</i> spp.
<i>Diabrotica undecimpunctata howardi</i>	INSECTA	Chrysomelidae	QP	<i>Solanum tuberosum</i>
<i>Dialeurodes citri</i>	INSECTA	Aleyrodidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp. <i>Punica</i> sp.
<i>Diaphania hyalinata</i>	INSECTA	Pyralidae	QP	<i>Cucumis</i> sp., <i>Cucurbita</i> sp., <i>Fragaria</i> sp.
<i>Diaphania nitidalis</i>	INSECTA	Pyralidae	QP	<i>Cucumis</i> sp., <i>Cucurbita</i> sp.
<i>Diaphorina citri</i>	INSECTA	Psyllidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp.
<i>Diaporthe vaccinii</i>	FUNGUS	Diaporthales	QP	<i>Vaccinium</i> sp.
<i>Diaprepes abbreviatus</i>	INSECTA	Curculionidae	QP	<i>Solanum tuberosum</i>
<i>Diaspidiotus ostreaeformis</i>	INSECTA	Diaspididae	QP	<i>Ficus</i> sp., <i>Malus</i> sp., <i>Phoenix</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. cherries), <i>Pyrus</i> sp., <i>Vaccinium</i> sp.
<i>Diaspidiotus prunorum</i>	INSECTA	Diaspididae	QP	<i>Ficus</i> sp., <i>Malus</i> sp., <i>Phoenix</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Pyrus</i> sp., <i>Vaccinium</i> sp.
<i>Dichocrocis megillalis</i>	INSECTA	Crambidae	QP	<i>Punica</i>
<i>Didymella lycopersici</i>	FUNGUS	Pleosporales	QP	<i>Fragaria</i> sp.
<i>Diplodina persicae</i>	FUNGUS	Diaporthales	QP	<i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. cherries)
<i>Diptacus gigantorhynchus</i>	ARACHNIDA	Diptilomiopidae	QP	<i>Prunus</i> spp. (ex. cherries)
<i>Dirioxa pornia</i>	INSECTA	Tephritidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp.
<i>Ditylenchus destructor</i>	NEMATODA	Anguinidae	QP	<i>Solanum tuberosum</i>
<i>Dolichotetranychus vandergooti</i>	ARACHNIDA	Tenuipalpidae	QP	<i>Ananas</i> sp.
<i>Drechslera chattopadhyayi</i>	FUNGUS	Pleosporales	QP	<i>Litchi chinensis</i>

<i>Drepanothrips reuteri</i>	INSECTA	Thripidae	QP	<i>Vitis</i> sp.
<i>Drosicha dalbergiae</i>	INSECTA	Monophlebidae	QP	<i>Punica</i> sp.
<i>Drosophila suzukii</i>	INSECTA	Drosophilidae	QP	<i>Actinidia</i> sp., <i>Fragaria</i> sp., <i>Malus</i> sp., <i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. cherries), <i>Vaccinium</i> sp., <i>Vitis</i> sp.
<i>Dudua aprobola</i>	INSECTA	Tortricidae	QP	<i>Litchi chinensis</i>
<i>Dysaphis plantaginea</i>	INSECTA	Aphididae	QP	<i>Malus</i> sp.
<i>Dysdercus peruvianus</i>	INSECTA	Pyrrhocoridae	QP	<i>Punica</i>
<i>Dysmicoccus cucurbitae</i>	INSECTA	Pseudococcidae	QP	<i>Cucumis</i> sp., <i>Cucurbita</i> sp.
<i>Dysmicoccus grassii</i>	INSECTA	Pseudococcidae	QP	<i>Ananas</i> sp., <i>Mangifera indica</i> , <i>Musa</i> sp., <i>Punica</i> sp.
<i>Dysmicoccus mackenziei</i>	INSECTA	Pseudococcidae	QP	<i>Ananas</i> sp.
<i>Dysmicoccus neobrevipes</i>	INSECTA	Pseudococcidae	QP	<i>Ananas</i> sp., <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Cucurbita</i> sp., <i>Litchi chinensis</i> , <i>Musa</i> sp., <i>Punica</i> sp., <i>Solanum melongena</i> .
<i>Dysmicoccus nesophilus</i>	INSECTA	Pseudococcidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp.
<i>Ecdyolopha aurantiana</i>	INSECTA	Tortricidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp.
<i>Eggplant mosaic tymovirus</i>	VIRUS	Tymovirales	QP	<i>Solanum melongena</i>
<i>Eggplant severe mottle potyvirus</i>	VIRUS	Potyviridae	QP	<i>Solanum melongena</i>
<i>Egira curialis</i>	INSECTA	Noctuidae	QP	<i>Citrus</i> sp.
<i>Elaphria nucicolora</i>	INSECTA	Noctuidae	QP	<i>Ananas</i> sp.
<i>Elsinoë australis</i>	FUNGUS	Myriangiales	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp.
<i>Elsinoë mangiferae</i>	FUNGUS	Myriangiales	QP	<i>Mangifera indica</i>
<i>Eotetranychus carpini</i>	ARACHNIDA	Tetranychidae	QP	<i>Fragaria</i> sp., <i>Malus</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Pyrus</i> sp., <i>Rubus</i> sp., <i>Vaccinium</i> sp., <i>Vitis</i> sp.
<i>Eotetranychus carpini borealis</i>	ARACHNIDA	Tetranychidae	QP	<i>Vaccinium</i> sp.
<i>Eotetranychus kankitus</i>	ARACHNIDA	Tetranychidae	QP	<i>Vitis</i> sp.
<i>Eotetranychus pruni</i>	ARACHNIDA	Tetranychidae	QP	<i>Fragaria</i> sp., <i>Malus</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Pyrus</i> sp., <i>Vaccinium</i> sp., <i>Vitis</i> sp.

<i>Eotetranychus sexmaculatus</i>	ARACHNIDA	Tetranychidae	QP	<i>Citrus</i> sp., <i>Fragaria</i> sp., <i>Malus</i> sp., <i>Persea americana</i> , <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Pyrus</i> sp., <i>Vaccinium</i> sp., <i>Vitis</i> sp.
<i>Eotetranychus smithi</i>	ARACHNIDA	Tetranychidae	QP	<i>Fragaria</i> , <i>Vitis</i> sp.
<i>Eotetranychus uncatus</i>	ARACHNIDA	Tetranychidae	QP	<i>Malus</i> sp.
<i>Eotetranychus willamettei</i>	ARACHNIDA	Tetranychidae	QP	<i>Malus</i> sp., <i>Vitis</i> sp.
<i>Eotetranychus yumensis</i>	ARACHNIDA	Tetranychidae	QP	<i>Citrus</i> sp.
<i>Epidiaspis leperii</i>	INSECTA	Diaspididae	QP	<i>Malus</i> sp., <i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. cherries)
<i>Epiphyas postvittana</i>	INSECTA	Tortricidae	QP	<i>Actinidia</i> sp., <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Fragaria</i> sp., <i>Litchi chinensis</i> , <i>Malus</i> sp., <i>Persea americana</i> , <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Solanum melongena</i> , <i>Vaccinium</i> sp., <i>Vitis</i> sp.
<i>Erionota thrax</i>	INSECTA	Hesperiidae	QP	<i>Musa</i> sp.
<i>Eriophyes insidiosus</i>	ARACHNIDA	Eriophyidae	QP	<i>Prunus</i> spp. (ex. cherries)
<i>Erwinia amylovora</i>	BACTERIUM	Enterobacteriales: Enterobacteriaceae	QP	<i>Fragaria</i> sp., <i>Malus</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Pyrus</i> sp., <i>Rubus</i> sp.
<i>Erwinia pyrifoliae</i>	BACTERIUM	Erwiniaceae	QP	<i>Pyrus</i> sp.
<i>Erysiphe cichoracearum</i> <i>f.sp. lactucae</i>	FUNGUS	Erysiphales	QP	<i>Lactuca</i> sp.
<i>Eulecanium tiliae</i>	INSECTA	Coccidae	QP	<i>Ficus</i> sp., <i>Fragaria</i> sp., <i>Malus</i> sp., <i>Vaccinium</i> sp.
<i>Euleia heraclei</i>	INSECTA	Tephritidae	QP	<i>Apium</i> sp.
<i>Euphoria lurida</i>	INSECTA	Scarabaeidae	QP	<i>Fragaria</i> sp.
<i>Eupoecilia ambiguella</i>	INSECTA	Tortricidae	QP	<i>Diospyros</i> sp., <i>Fragaria</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Rubus</i> sp., <i>Vaccinium</i> sp., <i>Vitis</i> sp.
<i>Euproctis scintillans</i>	INSECTA	Lymantriidae	QP	<i>Litchi chinensis</i>
<i>Eurytoma amygdali</i>	INSECTA	Eurytomidae	QP	<i>Prunus</i> spp. (ex. cherries)
<i>Eurytoma schreineri</i>	INSECTA	Eurytomidae	QP	<i>Malus</i> sp., <i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. cherries)
<i>Eutetranychus banksi</i>	ARACHNIDA	Tetranychidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp.
<i>Euzophera bigella</i>	INSECTA	Pyralidae	QP	<i>Punica</i> sp., <i>Prunus</i> spp. (ex. cherries)

<i>Euzophera pyriella</i>	INSECTA	Pyralidae	QP	<i>Malus</i> sp., <i>Pyrus</i> sp.
<i>Euzopherodes vapidella</i>	INSECTA	Pyralidae	QP	<i>Citrus</i> sp.
<i>Exallomochlus camur</i>	INSECTA	Pseudococcidae	QP	<i>Litchi chinensis</i>
<i>Exallomochlus hispidus</i>	INSECTA	Pseudococcidae	QP	<i>Litchi chinensis</i>
<i>Exobasidium maculosum</i>	FUNGUS	Exobasidiales	QP	<i>Vaccinium</i> sp.
<i>Frankliniella australis</i>	INSECTA	Thripidae	QP	<i>Vitis</i> sp.
<i>Frankliniella bispinosa</i>	INSECTA	Thripidae	QP	<i>Citrus</i> sp., <i>Fragaria</i> sp.
<i>Frankliniella cestrum</i>	INSECTA	Thripidae	QP	<i>Prunus</i> spp. (ex. cherries), <i>Vitis</i> sp.
<i>Frankliniella fusca</i>	INSECTA	Thripidae	QP	<i>Fragaria</i> sp.
<i>Frankliniella intonsa</i>	INSECTA	Thripidae	QP	<i>Actinidia</i> sp., <i>Fragaria</i> sp., <i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. cherries)
<i>Frankliniella kelliae</i>	INSECTA	Thripidae	QP	<i>Citrus</i> sp.
<i>Frankliniella minuta</i>	INSECTA	Thripidae	QP	<i>Vitis</i> sp.
<i>Frankliniella parvula</i>	INSECTA	Thripidae	QP	<i>Musa</i> sp.
<i>Frankliniella tritici</i>	INSECTA	Thripidae	QP	<i>Fragaria</i> sp., <i>Vitis</i> sp., <i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. cherries)
<i>Frankliniella williamsi</i>	INSECTA	Thripidae	QP	<i>Fragaria</i> sp.
<i>Fusarium oxysporum</i> f. sp. <i>Cubense</i> TR4	FUNGUS	Hypocreales	QP	<i>Musa</i> sp.
<i>Fusarium oxysporum</i> f.sp. <i>lycopersici</i> (Race III)	FUNGUS	Hypocreales	QP	<i>Capsicum</i> sp.
<i>Fusarium roseum</i>	FUNGUS	Hypocreales	QP	<i>Prunus</i> spp. (In. cherries)
<i>Gatesclarkeana erotias</i>	INSECTA	Tortricidae	QP	<i>Litchi chinensis</i>
<i>Gilbertella persicaria</i>	FUNGUS	Mucorales	QP	<i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. cherries)
<i>Globisporangium intermedium</i>	FUNGUS	Pythiales	QP	<i>Fragaria</i> sp.
<i>Globodera pallida</i>	NEMATODA	Heteroderidae	QP	<i>Solanum tuberosum</i>
<i>Gloeosporium citri</i>	FUNGUS	Helotiales	QP	<i>Citrus</i> sp.
<i>Gloeosporium limetticum</i>	FUNGUS	Helotiales	QP	<i>Citrus</i> sp.

<i>Gloeosporium minus</i>	FUNGUS	Helotiales	QP	<i>Vaccinium</i> sp.
<i>Gnomonia comari</i>	FUNGUS	Diaporthales	QP	<i>Fragaria</i> sp.
<i>Gnomoniopsis comari</i>	FUNGUS	Diaporthales	QP	<i>Fragaria</i> sp.
<i>Godronia cassandrae</i>	FUNGUS	Helotiales	QP	<i>Vaccinium</i> sp.
<i>Gonodonta pyrgo</i>	INSECTA	Noctuidae	QP	<i>Citrus</i> sp.
<i>Grapevine Bulgarian latent virus</i>	VIRUS	Secoviridae	QP	<i>Vitis</i> sp.
<i>Grapholita funebrana</i>	INSECTA	Tortricidae	QP	<i>Malus</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Pyrus</i> sp.
<i>Grapholita inopinata</i>	INSECTA	Tortricidae	QP	<i>Malus</i> sp., <i>Pyrus</i> sp.
<i>Grapholita janthinana</i>	INSECTA	Tortricidae	QP	<i>Malus</i> sp.
<i>Grapholita lobarzewskii</i>	INSECTA	Tortricidae	QP	<i>Malus</i> sp., <i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. cherries)
<i>Grapholita packardi</i>	INSECTA	Tortricidae	QP	<i>Malus</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. cherries), <i>Vaccinium</i> sp.
<i>Grapholita prunivora</i>	INSECTA	Tortricidae	QP	<i>Malus</i> sp. <i>Prunus avium</i> , <i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. cherries)
<i>Guignardia bidwellii</i>	FUNGUS	Dothideales	QP	<i>Vitis</i> sp.
<i>Guignardia musae</i>	FUNGUS	Dothideales	QP	<i>Musa</i> sp.
<i>Gymnandrosoma aurantianum</i>	INSECTA	Tortricidae	QP	<i>Litchi chinensis</i> , <i>Citrus</i> sp.
<i>Gymnosporangium clavipes</i>	FUNGUS	Pucciniales	QP	<i>Malus</i> sp.
<i>Gymnosporangium juniperi-virginianae</i>	FUNGUS	Uredinales	QP	<i>Malus</i> sp.
<i>Gymnosporangium libocedri</i>	FUNGUS	Pucciniales	QP	<i>Malus</i> sp.
<i>Halyomorpha halys</i>	INSECTA	Pentatomidae	QP	<i>Malus</i> sp., <i>Prunus</i> spp. (In. cherries), <i>Vaccinium</i> sp., <i>Vitis</i> sp.
<i>Halyomorpha mista</i>	INSECTA	Pentatomidae	QP	<i>Malus</i> sp.
<i>Haplobasidion musae</i>	FUNGUS	Incertae sedis	QP	<i>Musa</i> sp.
<i>Haptoncus luteolus</i>	INSECTA	Nitidulidae	QP	<i>Malus</i> sp.
<i>Heilipus lauri</i>	INSECTA	Curculionidae	QP	<i>Persea americana</i>

<i>Heilipus perseae</i>	INSECTA	Curculionidae	QP	<i>Persea americana</i>
<i>Heilipus pittieri</i>	INSECTA	Curculionidae	QP	<i>Persea americana</i>
<i>Helicoverpa punctigera</i>	INSECTA	Noctuidae	QP	<i>Prunus avium, Vitis sp.</i>
<i>Helicoverpa zea</i>	INSECTA	Noctuidae	QP	<i>Citrus latifolia, Citrus sp., Fragaria sp.</i>
<i>Hemiberlesia camarana</i>	INSECTA	Diaspididae	QP	<i>Vitis sp.</i>
<i>Hendersonula psidii</i>	FUNGUS	Incertae sedis	QP	<i>Litchi chinensis</i>
<i>Hercinothrips femoralis</i>	INSECTA	Thripidae	QP	<i>Ficus sp.</i>
<i>Homalodisca coagulata</i>	INSECTA	Cicadellidae	QP	<i>Prunus avium, Prunus spp. (ex. cherries), Vitis sp.</i>
<i>Hop stunt viroid</i>	VIRUS	Pospiviroidae	QP	<i>Vitis sp.</i>
<i>Hoplocampa flava</i>	INSECTA	Tenthredinidae	QP	<i>Prunus spp. (ex. cherries)</i>
<i>Hoplocampa minuta</i>	INSECTA	Tenthredinidae	QP	<i>Prunus spp. (ex. cherries)</i>
<i>Hoplocampa testudinea</i>	INSECTA	Tenthredinidae	QP	<i>Malus sp.</i>
<i>Hydraecia micacea</i>	INSECTA	Noctuidae	QP	<i>Solanum tuberosum</i>
<i>Hypatima longanae</i>	INSECTA	Celechiidae	QP	<i>Litchi chinensis</i>
<i>Hypsipyla robusta</i>	INSECTA	Pyralidae	QP	<i>Litchi chinensis</i>
<i>Icerya aegyptiaca</i>	INSECTA	Monophlebidae	QP	<i>Citrus latifolia, Citrus sp., Ficus sp., Malus sp., Persea americana, Vitis sp.</i>
<i>Illiberis tenuis</i>	INSECTA	Zygaenidae	QP	<i>Vitis sp.</i>
<i>Isotenes miserana</i>	INSECTA	Tortricidae	QP	<i>Litchi chinensis</i>
<i>Kilifia acuminata</i>	INSECTA	Coccidae	QP	<i>Citrus latifolia, Citrus sp., Mangifera indica, Persea americana</i>
<i>Lacanobia oleracea</i>	INSECTA	Noctuidae	QP	<i>Malus sp., Fragaria sp.</i>
<i>Lachnopus campechianus</i>	INSECTA	Curculionidae	QP	<i>Musa sp.</i>
<i>Lambertella pruni</i>	FUNGUS	Helotiales	QP	<i>Prunus spp. (In. cherries), Prunus spp. (ex. cherries)</i>
<i>Lepidosaphes buzenensis</i>	INSECTA	Diaspididae	QP	<i>Vitis sp.</i>
<i>Lepidosaphes euryae</i>	INSECTA	Diaspididae	QP	<i>Mangifera indica</i>

<i>Lepidosaphes laterochitinsa</i>	INSECTA	Hemiptera	QP	<i>Mangifera indica, Vitis sp.</i>
<i>Lepidosaphes pallidula</i>	INSECTA	Diaspididae	QP	<i>Citrus sp., Mangifera indica</i>
<i>Lepidosaphes ussuriensis</i>	INSECTA	Diaspididae	QP	<i>Vitis sp.</i>
<i>Leptinotarsa decemlineata</i>	INSECTA	Chrysomelidae	QP	<i>Solanum tuberosum</i>
<i>Leptoglossus zonatus</i>	INSECTA	Coreidae	QP	<i>Persea americana, Citrus spp., Punica sp.</i>
<i>Lettuce infectious yellows closterovirus</i>	VIRUS	Closteroviridae	QP	<i>Citrullus sp., Cucumis sp., Cucurbita sp., Lactuca sp.</i>
<i>Lettuce necrotic yellows cytorhabdovirus</i>	VIRUS	Rhabdoviridae	QP	<i>Lactuca sp.</i>
<i>Liriomyza bryoniae</i>	INSECTA	Agromyzidae	QP	<i>Apium sp., Lactuca sp.</i>
<i>Liriomyza sativae</i>	INSECTA	Agromyzidae	QP	<i>Apium sp.</i>
<i>Lobesia botrana</i>	INSECTA	Tortricidae	QP	<i>Actinidia sp., Diospyros sp., Prunus avium, Prunus spp. (In. cherries), Prunus spp. (ex. cherries), Punica sp., Vaccinium sp., Vitis sp.</i>
<i>Lopholeucaspis cockerelli</i>	INSECTA	Diaspididae	QP	<i>Litchi chinensis</i>
<i>Lopholeucaspis japonica</i>	INSECTA	Diaspididae	QP	<i>Citrus latifolia, Citrus sp., Ficus sp., Malus sp., Prunus avium, Pyrus sp., Vitis sp.</i>
<i>Lygus hesperus</i>	INSECTA	Miridae	QP	<i>Fragaria sp.</i>
<i>Lymantria dispar</i>	INSECTA	Lymantriidae	QP	<i>Malus sp.</i>
<i>Lynamorpha rosea</i>	INSECTA	Tessaratomidae	QP	<i>Litchi chinensis</i>
<i>Maconellicoccus hirsutus</i>	INSECTA	Pseudococcidae	QP	<i>Ananas sp., Asparagus sp., Capsicum sp., Citrus latifolia, Citrus sp., Cucumis sp., Cucurbita sp., Ficus sp., Litchi chinensis, Malus sp., Mangifera indica, Musa sp., Passiflora edulis, Persea americana, Prunus spp. (ex. cherries), Punica sp., Pyrus sp., Solanum melongena, Vitis sp.</i>
<i>Macrophoma mangiferae</i>	FUNGUS	Dothidiales	QP	<i>Mangifera indica</i>
<i>Mamestra brassicae</i>	INSECTA	Noctuidae	QP	<i>Fragaria sp.</i>
<i>Marasmiellus scandens</i>	FUNGUS	Agaricales	QP	<i>Ananas sp.</i>
<i>Marasmius crinis-equi</i>	FUNGUS	Agaricales	QP	<i>Ananas sp.</i>
<i>Marasmius palmivora</i>	FUNGUS	Agaricales	QP	<i>Ananas sp.</i>
<i>Marmara salictella</i>	INSECTA	Gracillariidae	QP	<i>Citrus sp.</i>

<i>Megalurothrips distalis</i>	INSECTA	Thripidae	QP	<i>Litchi chinensis, Punica sp.</i>
<i>Melanoloma canopilosum</i>	INSECTA	Richardiidae	QP	<i>Ananas sp.</i>
<i>Melanoloma viatrix</i>	INSECTA	Richardiidae	QP	<i>Ananas sp.</i>
<i>Melolontha melolontha</i>	INSECTA	Scarabaeidae	QP	<i>Fragaria sp., Malus sp., Vitis sp.</i>
<i>Microdochium panattonianum</i>	FUNGUS	Xylariales	QP	<i>Lactuca sp.</i>
<i>Microstroma tonellianum</i>	FUNGUS	Incertae sedis	QP	<i>Prunus spp. (In. cherries)</i>
<i>Monacrostichus citricola</i>	INSECTA	Tephritidae	QP	<i>Citrus latifolia, Citrus sp.</i>
<i>Monacrostichus malaysiae</i>	INSECTA	Tephritidae	QP	<i>Citrus sp.</i>
<i>Monilia angustior</i>	FUNGUS	Helotiales	QP	<i>Prunus spp (In. cherries)</i>
<i>Monilinia fructicola</i>	FUNGUS	Helotiales	QP	<i>Fragaria sp., Malus sp., Prunus avium, Prunus spp. (ex. cherries), Prunus spp. (In. cherries), Pyrus sp., Vitis sp.</i>
<i>Monilinia fructigena</i>	FUNGUS	Helotiales	QP	<i>Fragaria sp., Malus sp., Prunus spp. (In. cherries), Prunus spp. (ex. Cherries), Vaccinium sp., Vitis sp.</i>
<i>Monilinia mumeicola</i>	FUNGUS	Helotiales	QP	<i>Prunus spp. (In. cherries)</i>
<i>Monilinia oxycocci</i>	FUNGUS	Helotiales	QP	<i>Vaccinium sp.</i>
<i>Monilinia padi</i>	FUNGUS	Helotiales	QP	<i>Prunus spp. (In. cherries)</i>
<i>Monilinia polystroma</i>	FUNGUS	Helotiales	QP	<i>Malus sp., Prunus spp. (In. cherries), Prunus spp. (ex. cherries)</i>
<i>Monilinia seaveri</i>	FUNGUS	Helotiales	QP	<i>Prunus spp. (In. cherries), Prunus spp. (ex. cherries)</i>
<i>Monilinia urnula</i>	FUNGUS	Helotiales	QP	<i>Vaccinium sp.</i>
<i>Monilinia vaccinii-corymbosi</i>	FUNGUS	Helotiales	QP	<i>Vaccinium sp.</i>
<i>Mucor piriformis</i>	FUNGUS	Lecanorales	QP	<i>Malus sp., Prunus spp. (In. cherries), Prunus spp. (ex. cherries)</i>
<i>Mycosphaerella citri</i>	FUNGUS	Capnodiales	QP	<i>Citrus latifolia, Citrus sp.</i>
<i>Mycosphaerella eumusae</i>	FUNGUS	Capnodiales	QP	<i>Musa sp.</i>
<i>Mycosphaerella fijiensis</i>	FUNGUS	Capnodiales	QP	<i>Musa sp.</i>
<i>Myiopardalis pardalina</i>	INSECTA	Tephritidae	QP	<i>Citrullus sp., Cucumis sp.</i>

<i>Mythimna convecta</i>	INSECTA	Noctuidae	QP	<i>Ananas</i> sp.
<i>Myzus cerasi</i>	INSECTA	Aphididae	QP	<i>Prunus avium</i> , <i>Prunus</i> spp. (In cherries), <i>Prunus</i> spp. (ex. cherries)
<i>Nacobbus aberrans</i>	NEMATODA	Pratylenchidae	QP	<i>Solanum tuberosum</i>
<i>Nacoleia octasema</i>	INSECTA	Pyralidae	QP	<i>Musa</i> sp.
<i>Naupactus xanthographus</i>	INSECTA	Curculionidae	QP	<i>Actinidia</i> sp., <i>Malus</i> sp., <i>Prunus</i> spp. (In cherries), <i>Vitis</i> sp.
<i>Nectria galligena</i>	FUNGUS	Hypocreales	QP	<i>Malus</i> sp., <i>Prunus avium</i> , <i>Pyrus</i> sp.
<i>Neoleucinodes elegantalis</i>	INSECTA	Crambidae	QP	<i>Capsicum</i> sp., <i>Solanum melongena</i>
<i>Neopulvinaria innumerabilis</i>	INSECTA	Coccidae	QP	<i>Punica</i> sp.
<i>Neosilba bifida</i>	INSECTA	Lonchaeidae	QP	<i>Citrus</i> sp.
<i>Neosilba certa</i>	INSECTA	Lonchaeidae	QP	<i>Citrus</i> sp.
<i>Neosilba glaberrima</i>	INSECTA	Lonchaeidae	QP	<i>Citrus</i> sp.
<i>Neosilba inesperata</i>	INSECTA	Lonchaeidae	QP	<i>Citrus</i> sp.
<i>Neosilba laura</i>	INSECTA	Lonchaeidae	QP	<i>Citrus</i> sp.
<i>Neosilba parva</i>	INSECTA	Lonchaeidae	QP	<i>Citrus</i> sp.
<i>Neosilba pendula</i>	INSECTA	Lonchaeidae	QP	<i>Citrus</i> sp.
<i>Neosilba pradoi</i>	INSECTA	Lonchaeidae	QP	<i>Citrus</i> sp.
<i>Neosilba zadolicha</i>	INSECTA	Lonchaeidae	QP	<i>Citrus</i> sp., <i>Mangifera indica</i>
<i>Nippoptilia vitis</i>	INSECTA	Pterophoridae	QP	<i>Vitis</i> sp.
<i>Odoiporus longicollis</i>	INSECTA	Curculionidae	QP	<i>Musa</i> sp.
<i>Oiketicus kirbyi</i>	INSECTA	Psychidae	QP	<i>Musa</i> sp.
<i>Oligonychus afrasiaticus</i>	ARACHNIDA	Tetranychidae	QP	<i>Phoenix</i> sp.
<i>Oligonychus perseae</i>	ARACHNIDA	Tetranychidae	QP	<i>Persea americana</i>
<i>Oligonychus peruvianus</i>	ARACHNIDA	Tetranychidae	QP	<i>Vitis</i> sp.
<i>Oligonychus pratensis</i>	ARACHNIDA	Tetranychidae	QP	<i>Phoenix</i> sp.

<i>Oligonychus punicae</i>	ARACHNIDA	Tetranychidae	QP	<i>Mangifera indica, Persea americana, Vitis</i> sp.
<i>Oligonychus yothersi</i>	ARACHNIDA	Tetranychidae	QP	<i>Litchi chinensis, Mangifera indica, Persea americana, Punica</i> sp., <i>Vitis</i> sp.
<i>Operophtera brumata</i>	INSECTA	Geometridae	QP	<i>Malus</i> sp., <i>Prunus</i> spp. (ex. cherries)
<i>Oribius destructor</i>	INSECTA	Lymantriidae	QP	<i>Persea americana, Citrus</i> spp.
<i>Oribius inimicus</i>	INSECTA	Lymantriidae	QP	<i>Persea americana, Citrus</i> spp.
<i>Orthosia cerasi</i>	INSECTA	Noctuidae	QP	<i>Malus</i> sp.
<i>Ostrinia furnacalis</i>	INSECTA	Crambidae	QP	<i>Citrus</i> sp.
<i>Ostrinia nubilalis</i>	INSECTA	Crambidae	QP	<i>Malus</i> sp., <i>Prunus</i> spp. (ex. cherries)
<i>Otiorhynchus corruptor</i>	INSECTA	Curculionidae	QP	<i>Vitis</i> sp.
<i>Otiorhynchus ovatus</i>	INSECTA	Curculionidae	QP	<i>Vaccinium</i> sp.
<i>Otiorhynchus rugosostriatus</i>	INSECTA	Curculionidae	QP	<i>Vaccinium</i> sp., <i>Vitis</i> sp.
<i>Otiorhynchus sulcatus</i>	INSECTA	Curculionidae	QP	<i>Vaccinium</i> sp., <i>Vitis</i> sp.
<i>Oxycetonia jucunda</i>	INSECTA	Scarabaeidae	QP	<i>Litchi chinensis</i>
<i>Pammene rhediella</i>	INSECTA	Tortricidae	QP	<i>Malus</i> sp.
<i>Pandemis cerasana</i>	INSECTA	Tortricidae	QP	<i>Malus</i> sp., <i>Prunus avium, Prunus</i> spp. (ex. cherries)
<i>Pandemis heparana</i>	INSECTA	Tortricidae	QP	<i>Fragaria</i> sp., <i>Malus</i> sp., <i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. Cherries)
<i>Pandemis pyrusana</i>	INSECTA	Tortricidae	QP	<i>Prunus</i> spp. (In cherries), <i>Prunus</i> spp. (ex. cherries)
<i>Pantoea citrea</i>	BACTERIUM	Enterobacteriaceae	QP	<i>Citrus</i> sp.
<i>Parabemisia myricae</i>	INSECTA	Aleyrodidae	QP	<i>Citrus latifolia, Citrus</i> sp., <i>Prunus</i> spp. (In. cherries)
<i>Paracoccus interceptus</i>	INSECTA	Pseudococcidae	QP	<i>Litchi chinensis, Mangifera indica</i>
<i>Paracoccus marginatus</i>	INSECTA	Pseudococcidae	QP	<i>Ananas</i> sp., <i>Citrus</i> sp., <i>Mangifera indica, Persea americana</i>
<i>Paraleyrodes bondari</i>	INSECTA	Aleyrodidae	QP	<i>Citrus latifolia, Citrus</i> sp.
<i>Paraputo corbetti</i>	INSECTA	Pseudococcidae	QP	<i>Mangifera indica</i>
<i>Parlatoria crypta</i>	INSECTA	Diaspididae	QP	<i>Malus</i> sp., <i>Mangifera indica</i>

<i>Parlatoria desolator</i>	INSECTA	Diaspididae	QP	<i>Prunus</i> spp. (ex. cherries)
<i>Parlatoria oleae</i>	INSECTA	Diaspididae	QP	<i>Ficus</i> sp., <i>Malus</i> sp., <i>Prunus</i> spp. (ex. cherries), <i>Vitis</i> sp.
<i>Parlatoria yanyuanensis</i>	INSECTA	Diaspididae	QP	<i>Malus</i> sp.
<i>Parsnip yellow fleck sequivirus</i>	VIRUS	Secoviridae	QP	<i>Apium</i> sp.
<i>Parthenolecanium corni</i>	INSECTA	Coccidae	QP	<i>Malus</i> sp., <i>Prunus</i> spp. (ex. cherries), <i>Vitis</i> sp.
<i>Parthenolecanium persicae</i>	INSECTA	Coccidae	QP	<i>Ficus</i> sp., <i>Persea americana</i> , <i>Vitis</i> sp.
<i>Peach rosette mosaic nepovirus</i>	VIRUS	Secoviridae	QP	<i>Vitis</i> sp.
<i>Peach rosette mosaic virus</i>	VIRUS	Secoviridae	QP	<i>Vitis</i> sp.
<i>Peach rosette phytoplasma</i>	Phytoplasma	Acholeplasmatales: Acholeplasmataceae	QP	<i>Malus</i> sp.
<i>Peliococcus perfidiosus</i>	INSECTA	Pseudococcidae	QP	<i>Solanum tuberosum</i>
<i>Penicillium viridicatum</i>	FUNGUS	Eurotiales	QP	<i>Vitis</i> sp.
<i>Peronophythora litchii</i>	FUNGUS	Pythiales	QP	<i>Litchi chinensis</i>
<i>Pestalotia longisetula</i>	FUNGUS	Xylariales	QP	<i>Fragaria</i> sp.
<i>Pestalotia vaccinii</i>	FUNGUS	Xylariales	QP	<i>Vaccinium</i> sp.
<i>Pestalotiopsis microspora</i>	FUNGUS	Xylariales	QP	<i>Vaccinium</i> sp.
<i>Pestalotiopsis uvicola</i>	FUNGUS	Xylariales	QP	<i>Vitis</i> sp.
<i>Pezicula malicorticis</i>	FUNGUS	Helotiales	QP	<i>Malus</i> sp.
<i>Pezothrips kellyanus</i>	INSECTA	Thripidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp.
<i>Phaeoramularia angolensis</i>	FUNGUS	Mycosphaerellales	QP	<i>Citrus</i> sp.
<i>Phalaenoides glycinae</i>	INSECTA	Noctuidae	QP	<i>Vitis</i> sp.
<i>Phenacoccus aceris</i>	INSECTA	Pseudococcidae	QP	<i>Actinidia</i> sp., <i>Malus</i> sp.
<i>Phenacoccus gossypii</i>	INSECTA	Pseudococcidae	QP	<i>Mangifera indica</i>
<i>Phenacoccus hargreavesi</i>	INSECTA	Pseudococcidae	QP	<i>Ananas</i> sp.
<i>Phenacoccus manihoti</i>	INSECTA	Pseudococcidae	QP	<i>Citrus</i> sp.

<i>Phenacoccus parvus</i>	INSECTA	Pseudococcidae	QP	<i>Actinidia</i> sp.
<i>Phoma tracheiphila</i>	FUNGUS	Pleosporales	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp.
<i>Phoma vaccinii</i>	FUNGUS	Pleosporales	QP	<i>Vaccinium</i> sp.
<i>Phomopsis longanae</i>	FUNGUS	Diaporthales	QP	<i>Litchi chinensis</i>
<i>Phomopsis mangiferae</i>	FUNGUS	Diaporthales	QP	<i>Mangifera indica</i>
<i>Phyllocnistis perseafolia</i>	INSECTA	Gracillariidae	QP	<i>Persea americana</i>
<i>Phyllocoptes abaenus</i>	ARACHNIDA	Eriophyidae	QP	<i>Prunus</i> spp. (ex. cherries)
<i>Phyllocoptes gracilis</i>	ARACHNIDA	Eriophyidae	QP	<i>Rubus</i> sp.
<i>Phyllocoptura sakimurae</i>	ARACHNIDA	Eriophyidae	QP	<i>Ananas</i> sp.
<i>Phyllonorycter blancardella</i>	INSECTA	Gracillariidae	QP	<i>Malus</i> sp.
<i>Phyllosticta cavendishi</i>	FUNGUS	Dothideales	QP	<i>Musa</i> sp.
<i>Phyllosticta solitaria</i>	FUNGUS	Dothideales	QP	<i>Malus</i> sp.
<i>Phyllosticta vaccinii</i>	FUNGUS	Dothideales	QP	<i>Vaccinium</i> sp.
<i>Physalospora baccae</i>	FUNGUS	Amphisphaeriales	QP	<i>Vitis</i> sp.
<i>Phytophthora erythroseptica</i> var. <i>erythroseptica</i>	FUNGUS	Pythiales	QP	<i>Solanum tuberosum</i>
<i>Phytophthora fragariae</i>	FUNGUS	Pythiales	QP	<i>Fragaria</i> sp.
<i>Phytophthora fragariaefolia</i>	FUNGUS	Pythiales	QP	<i>Fragaria</i> sp.
<i>Phytophthora heveae</i>	FUNGUS	Pythiales	QP	<i>Mangifera indica</i>
<i>Phytophthora litchii</i>	FUNGUS	Pythiales	QP	<i>Litchi</i>
<i>Phytophthora palmivora</i>	FUNGUS	Pythiales	QP	<i>Ananas</i> sp., <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Ficus</i> sp., <i>Litchi chinensis</i>
<i>Phytophthora rosacearum</i>	FUNGUS	Pythiales	QP	<i>Prunus</i> spp. (In. cherries)
<i>Pineapple chlorotic leaf streak nucleorhabdovirus</i>	VIRUS	Incertae sedis	QP	<i>Ananas</i> sp.
<i>Pinnaspis aspidistrae</i>	INSECTA	Diaspididae	QP	<i>Citrus</i> sp.

<i>Pinnaspis tuberculata</i>	INSECTA	Diaspididae	QP	<i>Mangifera indica</i>
<i>Planococcus minor</i>	INSECTA	Pseudococcidae	QP	<i>Litchi chinensis</i>
<i>Planococcoides njalensis</i>	INSECTA	Pseudococcidae	QP	<i>Ananas</i> sp., <i>Mangifera indica</i> , <i>Persea americana</i>
<i>Planococcus angkorensis</i>	INSECTA	Pseudococcidae	QP	<i>Litchi chinensis</i> , <i>Punica</i> sp.
<i>Planococcus kenyae</i>	INSECTA	Pseudococcidae	QP	<i>Citrus</i> sp., <i>Passiflora edulis</i>
<i>Planococcus kraunhiae</i>	INSECTA	Pseudococcidae	QP	<i>Citrus</i> sp., <i>Vitis</i> sp.
<i>Planococcus lilacinus</i>	INSECTA	Pseudococcidae	QP	<i>Ananas</i> sp., <i>Apium</i> sp., <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Ficus</i> sp., <i>Litchi chinensis</i> , <i>Mangifera indica</i> , <i>Punica</i> sp., <i>Solanum melongena</i> , <i>Vitis</i> sp.
<i>Planococcus litchi</i>	INSECTA	Pseudococcidae	QP	<i>Litchi chinensis</i>
<i>Planococcus minor</i>	INSECTA	Pseudococcidae	QP	<i>Ananas</i> sp., <i>Apium</i> sp., <i>Asparagus</i> sp., <i>Capsicum</i> sp., <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Ficus</i> sp., <i>Litchi chinensis</i> , <i>Mangifera indica</i> , <i>Musa</i> sp., <i>Persea americana</i> , <i>Solanum melongena</i> , <i>Vitis</i> sp.
<i>Planococcus njalensis</i>	INSECTA	Pseudococcidae	QP	<i>Persea americana</i>
<i>Planotortrix excessana</i>	INSECTA	Tortricidae	QP	<i>Actinidia</i> sp., <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Fragaria</i> sp., <i>Malus</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. cherries), <i>Vaccinium</i> sp.
<i>Planotortrix octo</i>	INSECTA	Tortricidae	QP	<i>Vaccinium</i> sp.
<i>Platynota flavedana</i>	INSECTA	Tortricidae	QP	<i>Citrus</i> sp., <i>Fragaria</i> sp., <i>Malus</i> sp.
<i>Platynota idaeusalis</i>	INSECTA	Tortricidae	QP	<i>Malus</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries)
<i>Platynota stultana</i>	INSECTA	Tortricidae	QP	<i>Actinidia</i> sp., <i>Apium</i> sp., <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Fragaria</i> sp., <i>Lactuca</i> sp., <i>Malus</i> sp., <i>Prunus</i> spp. (ex. cherries), <i>Punica</i> sp., <i>Vitis</i> sp.
<i>Platyptera poeciloptera</i>	INSECTA	Tephritidae	QP	<i>Asparagus</i> sp.
<i>Platyptilia carduidactyla</i>	INSECTA	Pterophoridae	QP	<i>Cynara</i> sp.
<i>Plenodomus tracheiphilus</i>	FUNGUS	Pleosporales	QP	<i>Citrus</i> sp.
<i>Pleospora vitis</i>	FUNGUS	Pleosporales	QP	<i>Vitis</i> sp.
<i>Podospaera clandestina</i> var. <i>clandestina</i>	FUNGUS	Incertae sedis	QP	<i>Prunus</i> spp. (ex. cherries)
<i>Polychrosis (Endopiza) viteana</i>	INSECTA	Tortricidae	QP	<i>Vitis</i> sp.

<i>Popillia japonica</i>	INSECTA	Scarabaeidae	QP	<i>Malus</i> sp., <i>Fragaria</i> sp.
<i>Popillia mutans</i>	INSECTA	Scarabaeidae	QP	<i>Litchi chinensis</i>
<i>Popillia quadriguttata</i>	INSECTA	Scarabaeidae	QP	<i>Litchi chinensis</i>
<i>Potato Andean mottle comovirus</i>	VIRUS	Secoviridae	QP	<i>Solanum tuberosum</i>
<i>Potato black ringspot nepovirus</i>	VIRUS	Secoviridae	QP	<i>Solanum tuberosum</i>
<i>Potato deforming mosaic virus</i>	VIRUS	Geminiviridae	QP	<i>Solanum tuberosum</i>
<i>Potato mop-top furovirus</i>	VIRUS	Virgaviridae	QP	<i>Solanum tuberosum</i>
<i>Potato spindle tuber viroid</i>	VIRUS	Pospiviroidae	QP	<i>Persea americana</i> , <i>Solanum melongena</i> , <i>Solanum tuberosum</i>
<i>Potato stolbur MLO</i>	BACTERIUM	Incertae sedis	QP	<i>Solanum tuberosum</i>
<i>Potato T trichovirus</i>	VIRUS	Betaflexiviridae	QP	<i>Solanum tuberosum</i>
<i>Potato Y potyvirus [all three strains]</i>	VIRUS	Potyviridae	QP	<i>Solanum tuberosum</i>
<i>Potato yellow dwarf nucleorhabdovirus</i>	VIRUS	Rhabdoviridae	QP	<i>Solanum tuberosum</i>
<i>Potato yellow vein virus</i>	VIRUS	Closteroviridae	QP	<i>Solanum tuberosum</i>
<i>Potato yellowing alfamovirus</i>	VIRUS	Bromoviridae	QP	<i>Solanum melongena</i> , <i>Solanum tuberosum</i>
<i>Praelongorthezia praelonga</i>	INSECTA	Ortheziidae	QP	<i>Ananas</i> sp., <i>Citrus</i> sp.
<i>Prays endocarpa</i>	INSECTA	Yponomeatidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp.
<i>Prillieuxina stuhlmannii</i>	FUNGUS	Ascomycetes	QP	<i>Ananas</i> sp.
<i>Proeulia auraria</i>	INSECTA	Tortricidae	QP	<i>Actinidia</i> sp., <i>Citrus</i> sp., <i>Malus</i> sp., <i>Prunus</i> spp. (Inc. cherries), <i>Prunus</i> spp. (ex. cherries), <i>Vitis</i> sp.
<i>Proeulia chrysopteris</i>	INSECTA	Tortricidae	QP	<i>Actinidia</i> sp., <i>Citrus</i> sp., <i>Malus</i> sp., <i>Prunus</i> spp. (ex. cherries), <i>Vitis</i> sp.
<i>Proeulia triquetra</i>	INSECTA	Tortricidae	QP	<i>Vitis</i> sp.
<i>Protaetia fusca</i>	INSECTA	Scarabaeidae	QP	<i>Litchi chinensis</i>
<i>Protaetia nitidorsis</i>	INSECTA	Scarabaeidae	QP	<i>Litchi chinensis</i>
<i>Pseudaonidia duplex</i>	INSECTA	Diaspididae	QP	<i>Citrus</i> sp.

<i>Pseudocercospora angolensis</i>	FUNGUS	Mycosphaerellales	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp.
<i>Pseudocercospora eumusae</i>	FUNGUS	Mycosphaerellales	QP	<i>Musa</i>
<i>Pseudocercospora fijiensis</i>	FUNGUS	Mycosphaerellales	QP	<i>Musa</i>
<i>Pseudococcus comstocki</i>	INSECTA	Pseudococcidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Malus</i> sp., <i>Musa</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Punica</i> sp., <i>Pyrus</i> sp., <i>Vitis</i> sp.
<i>Pseudococcus cryptus</i>	INSECTA	Pseudococcidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Litchi chinensis</i> , <i>Mangifera indica</i> , <i>Musa</i> sp., <i>Persea americana</i> , <i>Phoenix</i> sp., <i>Punica</i> sp.
<i>Pseudococcus elisae</i>	INSECTA	Pseudococcidae	QP	<i>Capsicum</i> sp., <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Musa</i> sp., <i>Physalis peruviana</i> , <i>Solanum melongena</i>
<i>Pseudococcus gilbertensis</i>	INSECTA	Pseudococcidae	QP	<i>Mangifera indica</i>
<i>Pseudococcus jackbeardsleyi</i>	INSECTA	Pseudococcidae	QP	<i>Ananas</i> sp., <i>Apium</i> sp., <i>Capsicum</i> sp., <i>Carica papaya</i> , <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Cucumis</i> sp., <i>Cucurbita</i> sp., <i>Ficus</i> sp., <i>Litchi chinensis</i> , <i>Mangifera indica</i> , <i>Musa</i> sp., <i>Persea americana</i> , <i>Punica</i> sp., <i>Solanum melongena</i> , <i>Vitis</i> sp.
<i>Pseudococcus maritimus</i>	INSECTA	Pseudococcidae	QP	<i>Malus</i> sp., <i>Prunus</i> spp. (ex. cherries), <i>Vaccinium</i> sp., <i>Vitis</i> sp.
<i>Pseudococcus occiduus</i>	INSECTA	Pseudococcidae	QP	<i>Mangifera indica</i>
<i>Pseudococcus solenedyos</i>	INSECTA	Pseudococcidae	QP	<i>Mangifera indica</i>
<i>Pseudomonas syringae</i> pv. <i>papulans</i>	BACTERIUM	Pseudomonadaceae	QP	<i>Malus</i> sp.
<i>Pseudopezizula tetraspora</i>	FUNGUS	Helotiales	QP	<i>Vitis</i> sp.
<i>Pseudopeziza tracheiphila</i>	FUNGUS	Helotiales	QP	<i>Vitis</i> sp.
<i>Pterochloroides persicae</i>	INSECTA	Aphididae	QP	<i>Malus</i> sp.
<i>Puccinia opizii</i>	FUNGUS	Uredinales	QP	<i>Lactuca</i> sp.
<i>Pulvinaria flavescens</i>	INSECTA	Coccidae	QP	<i>Citrus</i> sp.
<i>Pulvinaria vitis</i>	INSECTA	Coccidae	QP	<i>Vitis</i> sp.
<i>Puto barberi</i>	INSECTA	Putoidae	QP	<i>Citrus</i> sp., <i>Fragaria</i> sp., <i>Persea americana</i>
<i>Pyroderces centrophanes</i>	INSECTA	Cosmopterigidae	QP	<i>Mangifera indica</i>
<i>Pyroderces dendrophaga</i>	INSECTA	Cosmopterigidae	QP	<i>Litchi chinensis</i>
<i>Radopholus similis</i>	NEMATODA	Nematoda: Pratylenchidae	QP	<i>Ananas</i> sp., <i>Solanum tuberosum</i>
<i>Ralstonia solanacearum</i>	BACTERIUM	Burkholderiaceae	QP	<i>Physalis peruviana</i>

<i>Ralstonia solanacearum</i> race 2	BACTERIUM	Burkholderiaceae	QP	<i>Musa</i> sp., <i>Physalis peruviana</i>
<i>Ralstonia syzygii</i> pv. <i>celebensis</i>	BACTERIUM	Burkholderiaceae	QP	<i>Musa</i>
<i>Ramularia mali</i>	FUNGUS	Mycosphaerellales	QP	<i>Prunus</i> spp. (In. cherries)
<i>Raspberry ringspot virus</i>	VIRUS	Picornavirales	QP	<i>Fragaria</i> sp.
<i>Rastrococcus dorsalis</i>	INSECTA	Pseudococcidae	QP	<i>Musa</i> sp.
<i>Rastrococcus iceryoides</i>	INSECTA	Pseudococcidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Cucumis</i> sp., <i>Cucurbita</i> sp., <i>Ficus</i> sp., <i>Mangifera indica</i> , <i>Musa</i> sp., <i>Solanum melongena</i> , <i>Vitis</i> sp.
<i>Rastrococcus invadens</i>	INSECTA	Pseudococcidae	QP	<i>Carica papaya</i> , <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Ficus</i> sp., <i>Mangifera indica</i> , <i>Musa</i> sp., <i>Persea americana</i>
<i>Rastrococcus mangiferae</i>	INSECTA	Pseudococcidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp.
<i>Rastrococcus rubellus</i>	INSECTA	Pseudococcidae	QP	<i>Citrus</i> sp.
<i>Rastrococcus spinosus</i>	INSECTA	Pseudococcidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Mangifera indica</i>
<i>Retithrips syriacus</i>	INSECTA	Thripidae	QP	<i>Diospyros</i> sp., <i>Ficus</i> sp., <i>Malus</i> sp., <i>Prunus</i> spp. (ex. cherries), <i>Vitis</i> sp.
<i>Rhagoletis cerasi</i>	INSECTA	Tephritidae	QP	<i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries)
<i>Rhagoletis cingulata</i>	INSECTA	Tephritidae	QP	<i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries)
<i>Rhagoletis completa</i>	INSECTA	Tephritidae	QP	<i>Prunus</i> spp. (ex. cherries)
<i>Rhagoletis fausta</i>	INSECTA	Tephritidae	QP	<i>Prunus avium</i> , <i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. cherries)
<i>Rhagoletis indifferens</i>	INSECTA	Tephritidae	QP	<i>Malus</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. cherries)
<i>Rhagoletis mendax</i>	INSECTA	Tephritidae	QP	<i>Vaccinium</i> sp.
<i>Rhagoletis pomonella</i>	INSECTA	Tephritidae	QP	<i>Malus</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Pyrus</i> sp., <i>Vaccinium</i> sp.
<i>Rhagoletis ribicola</i>	INSECTA	Tephritidae	QP	<i>Physalis peruviana</i> , <i>Prunus avium</i>
<i>Rhagoletis tabellaria</i>	INSECTA	Tephritidae	QP	<i>Malus</i> sp., <i>Prunus</i> spp. (In. cherries), <i>Vaccinium</i> sp.
<i>Rhipiphorothrips cruentatus</i>	INSECTA	Thripidae	QP	<i>Mangifera indica</i> , <i>Punica</i> sp., <i>Vitis</i> sp.
<i>Rhizopus arrhizus</i>	FUNGUS	Mucorales	QP	<i>Litchi chinensis</i>
<i>Rhodococcus turanicus</i>	INSECTA	Coccidae	QP	<i>Prunus</i> spp (ex. cherries)
<i>Rhopobota naevana</i>	INSECTA	Tortricidae	QP	<i>Vaccinium</i> sp.
<i>Rhynchites auratus</i>	INSECTA	Attelabidae	QP	<i>Malus</i> sp., <i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. cherries)
<i>Rhynchites bacchus</i>	INSECTA	Attelabidae	QP	<i>Malus</i> sp., <i>Prunus</i> spp. (ex. cherries)

<i>Rhynchites heros</i> (<i>Rhynchites coreanus</i>)	INSECTA	Attelabidae	QP	<i>Malus</i> sp., <i>Pyrus</i> sp.
<i>Rhynchophorus palmarum</i>	INSECTA	Curculionidae	QP	<i>Citrus</i> sp., <i>Persea americana</i>
<i>Rutherfordia major</i>	INSECTA	Diaspididae	QP	<i>Litchi chinensis</i>
<i>Sabulodes aegrotata</i>	INSECTA	Geometridae	QP	<i>Persea americana</i> , <i>Citrus</i> spp.
<i>Schizotetranychus hindustanicus</i>	ARACHNIDA	Tetranychidae	QP	<i>Citrus</i> sp.
<i>Schizothyrium pomi</i>	FUNGUS	Microthyriales	QP	<i>Malus</i> sp.
<i>Sciopithes obscurus</i>	INSECTA	Curculionidae	QP	<i>Vaccinium</i> sp.
<i>Scirtothrips citri</i>	INSECTA	Thripidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Vitis</i> sp.
<i>Scirtothrips dorsalis</i>	INSECTA	Thripidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Fragaria</i> sp., <i>Litchi chinensis</i> , <i>Mangifera indica</i> , <i>Vitis</i> sp.
<i>Scirtothrips inermis</i>	INSECTA	Thripidae	QP	<i>Citrus</i> sp.
<i>Scirtothrips mangiferae</i>	INSECTA	Thripidae	QP	<i>Vitis</i> sp.
<i>Scirtothrips oligochaetus</i>	INSECTA	Thripidae	QP	<i>Punica</i>
<i>Scirtothrips perseae</i>	INSECTA	Thripidae	QP	<i>Persea americana</i>
<i>Selenaspis malzyi</i>	INSECTA	Diaspididae	QP	<i>Mangifera indica</i>
<i>Septoria citri</i>	FUNGUS	Mycosphaerellales	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp.
<i>Serodes campana</i>	INSECTA	Erebidae	QP	<i>Vitis</i> sp.
<i>Sesamia nonagrioides</i>	INSECTA	Noctuidae	QP	<i>Diospyros</i> sp.
<i>Sparganothis pilleriana</i>	INSECTA	Tortricidae	QP	<i>Vitis</i> sp.
<i>Sparganothis sulfureana</i>	INSECTA	Tortricidae	QP	<i>Vaccinium</i> sp.
<i>Sphaceloma punicae</i>	FUNGUS	Myriangiales	QP	<i>Punica</i>
<i>Spilonota albicana</i>	INSECTA	Tortricidae	QP	<i>Malus</i> sp.
<i>Spilonota ocellana</i>	INSECTA	Tortricidae	QP	<i>Malus</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Pyrus</i> sp., <i>Vaccinium</i> sp.
<i>Spirama retorta</i>	INSECTA	Erebidae	QP	<i>Vitis</i> sp.
<i>Spodoptera albula</i>	INSECTA	Erebidae	QP	<i>Fragaria</i> sp.

<i>Spodoptera eridania</i>	INSECTA	Noctuidae	QP	<i>Apium</i> sp., <i>Capsicum</i> sp., <i>Citrus</i> sp., <i>Malus</i> sp., <i>Persea americana</i>
<i>Spodoptera frugiperda</i>	INSECTA	Noctuidae	QP	<i>Capsicum</i> sp., <i>Citrus</i> sp., <i>Fragaria</i> sp., <i>Malus</i> sp., <i>Vaccinium</i> sp., <i>Vitis</i> sp.
<i>Spodoptera litura</i>	INSECTA	Noctuidae	QP	<i>Ananas</i> sp., <i>Lactuca</i> sp., <i>Litchi chinensis</i> , <i>Malus</i> sp., <i>Vitis</i> sp.
<i>Spodoptera praefica</i>	INSECTA	Noctuidae	QP	<i>Asparagus</i> sp., <i>Vitis</i> sp.
<i>Squash leaf curl bigeminivirus</i>	VIRUS	Geminiviridae	QP	<i>Citrullus</i> sp., <i>Cucumis</i> sp., <i>Cucurbita</i> sp.
<i>Squash mosaic comovirus</i>	VIRUS	Secoviridae	QP	<i>Citrullus</i> sp., <i>Cucumis</i> sp., <i>Cucurbita</i> sp.
<i>Squash mosaic comovirus (group I and II)</i>	VIRUS	Secoviridae	QP	<i>Citrullus</i> spp.
<i>Stenoma catenifer</i>	INSECTA	Depressariidae	QP	<i>Persea americana</i>
<i>Sternochetus frigidus</i>	INSECTA	Curculionidae	QP	<i>Mangifera indica</i>
<i>Sternochetus olivieri</i>	INSECTA	Curculionidae	QP	<i>Mangifera indica</i>
<i>Strasseria oxycocci</i>	FUNGUS	Incertae sedis	QP	<i>Vaccinium</i> sp.
<i>Synchytrium endobioticum</i>	FUNGUS	Chytridiales	QP	<i>Solanum tuberosum</i>
<i>Syndemis musculana</i>	INSECTA	Tortricidae	QP	<i>Malus</i> sp.
<i>Taeniothrips inconsequens</i>	INSECTA	Thripidae	QP	<i>Malus</i> sp., <i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. cherries)
<i>Taeniothrips meridionalis</i>	INSECTA	Thripidae	QP	<i>Prunus</i> spp. (ex. cherries)
<i>Taphrina communis</i>	FUNGUS	Taphrinales	QP	<i>Prunus</i> spp. (ex. cherries)
<i>Taphrina confusa</i>	FUNGUS	Taphrinales	QP	<i>Prunus</i> spp. (ex. cherries)
<i>Tapinoma melanocephalum</i>	INSECTA	Formicidae	QP	<i>Ananas</i> sp.
<i>Targionia vitis</i>	INSECTA	Diaspididae	QP	<i>Vitis</i> sp.
<i>Tarsonemus parawaitei</i>	ARACHNIDA	Tarsonemidae	QP	<i>Prunus</i> spp. (ex. cherries)
<i>Tarsonemus setifer</i> (<i>Tarsonemus waitei</i>)	ARACHNIDA	Tarsonemidae	QP	<i>Punica</i> sp.
<i>Tarsonemus smithi</i>	ARACHNIDA	Tarsonemidae	QP	<i>Prunus</i> spp. (ex. cherries)
<i>Tecia solanivora</i>	INSECTA	Gelechiidae	QP	<i>Solanum tuberosum</i>

<i>Tegolophus australis</i>	ARACHNIDA	Eriophyidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp.
<i>Tegolophus myersi</i>	ARACHNIDA	Eriophyidae	QP	<i>Persea americana</i>
<i>Tenuipalpus granati</i>	ARACHNIDA	Tetranychidae	QP	<i>Punica</i> sp., <i>Vitis</i> sp.
<i>Tenuipalpus punicae</i>	ARACHNIDA	Tenuipalpidae	QP	<i>Punica</i> sp.
<i>Tetranychus tumidus</i>	ARACHNIDA	Tetranychidae	QP	<i>Persea americana</i>
<i>Tetranychus canadensis</i>	ARACHNIDA	Tetranychidae	QP	<i>Malus</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Pyrus</i> sp., <i>Vaccinium</i> sp., <i>Vitis</i> sp.
<i>Tetranychus desertorum</i>	ARACHNIDA	Tetranychidae	QP	<i>Apium</i> sp., <i>Carica papaya</i> , <i>Citrus</i> sp., <i>Vitis</i> sp.
<i>Tetranychus lambi</i>	ARACHNIDA	Tetranychidae	QP	<i>Fragaria</i> sp., <i>Musa</i> sp., <i>Prunus</i> spp. (ex. cherries)
<i>Tetranychus mcdanieli</i>	ARACHNIDA	Tetranychidae	QP	<i>Malus</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Pyrus</i> sp., <i>Rubus</i> ., <i>Vaccinium</i> sp., <i>Vitis</i> sp.
<i>Tetranychus mexicanus</i>	ARACHNIDA	Tetranychidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Passiflora edulis</i>
<i>Tetranychus pacificus</i>	ARACHNIDA	Tetranychidae	QP	<i>Citrus</i> sp., <i>Cucumis</i> sp., <i>Ficus</i> sp., <i>Fragaria</i> sp., <i>Malus</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Pyrus</i> sp., <i>Vaccinium</i> sp., <i>Vitis</i> sp.
<i>Tetranychus piercei</i>	ARACHNIDA	Tetranychidae	QP	<i>Carica papaya</i> , <i>Vitis</i> sp.
<i>Tetranychus schoenei</i>	ARACHNIDA	Tetranychidae	QP	<i>Malus</i> sp., <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Pyrus</i> sp., <i>Vaccinium</i> sp., <i>Vitis</i> sp.
<i>Tetranychus truncatus</i>	ARACHNIDA	Tetranychidae	QP	<i>Vitis</i> sp.
<i>Tetranychus tumidus</i>	ARACHNIDA	Tetranychidae	QP	<i>Apium</i> sp., <i>Fragaria</i> sp., <i>Malus</i> sp., <i>Persea americana</i> , <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Pyrus</i> sp., <i>Solanum melongena</i> , <i>Vaccinium</i> sp., <i>Vitis</i> sp.
<i>Tetranyopsis horridus</i>	ARACHNIDA	Tetranychidae	QP	<i>Musa</i> sp.
<i>Thaumatotibia leucotreta</i>	INSECTA	Tortricidae	QP	<i>Persea americana</i>
<i>Thecaphora solani</i>	FUNGUS	Glomosporiaceae	QP	<i>Solanum tuberosum</i>
<i>Thecla basilides</i>	INSECTA	Lycaenidae	QP	<i>Ananas</i> sp.
<i>Thecla legota</i>	INSECTA	Lycaenidae	QP	<i>Ananas</i> sp.
<i>Thrips angusticeps</i>	INSECTA	Thripidae	QP	<i>Prunus</i> spp. (ex. cherries)
<i>Thrips fuscipennis</i>	INSECTA	Thripidae	QP	<i>Actinidia</i> sp., <i>Fragaria</i> sp.

<i>Thrips hawaiiensis</i>	INSECTA	Thripidae	QP	<i>Ananas</i> sp., <i>Asparagus</i> sp., <i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Cucurbita</i> sp., <i>Mangifera indica</i> , <i>Musa</i> sp., <i>Vitis</i> sp.
<i>Thrips imaginis</i>	INSECTA	Thripidae	QP	<i>Fragaria</i> sp., <i>Malus</i> sp., <i>Vitis</i> sp.
<i>Thrips major</i>	INSECTA	Thripidae	QP	<i>Prunus</i> spp. (ex. cherries)
<i>Thrips obscuratus</i>	INSECTA	Thripidae	QP	<i>Asparagus</i> sp., <i>Prunus</i> spp. (In. cherries), <i>Prunus</i> spp. (ex. cherries)
<i>Thrips palmi</i>	INSECTA	Thripidae	QP	<i>Capsicum</i> sp., <i>Citrullus</i> sp., <i>Citrus</i> sp., <i>Cucumis</i> sp., <i>Cucurbita</i> sp., <i>Fragaria</i> sp., <i>Mangifera indica</i> , <i>Prunus avium</i> , <i>Prunus</i> spp. (ex. cherries), <i>Prunus</i> spp. (In. cherries), <i>Punica</i> sp., <i>Solanum melongena</i> , <i>Vitis</i> sp.
<i>Thrips vulgatissimus</i>	INSECTA	Thripidae	QP	<i>Fragaria</i> sp.
<i>Thysanoflorinia nephelii</i>	INSECTA	Diaspididae	QP	<i>Litchi chinensis</i>
<i>Tiracola plagiata</i>	INSECTA	Noctuidae	QP	<i>Citrus latifolia</i> , <i>Citrus</i> sp., <i>Musa</i> sp., <i>Solanum melongena</i>
<i>Tirathaba rufivena</i>	INSECTA	Pyralidae	QP	<i>Litchi chinensis</i>
<i>Tmolus echion</i>	INSECTA	Lycaenidae	QP	<i>Ananas</i> sp., <i>Mangifera indica</i>
<i>Tobacco rattle tobnavirus</i>	VIRUS	Virgaviridae	QP	<i>Capsicum</i> sp., <i>Solanum tuberosum</i>
<i>Tobacco ringspot virus</i>	VIRUS	Secoviridae	QP	<i>Citrullus</i> sp., <i>Cucumis</i> sp., <i>Cucurbita</i> sp., <i>Solanum tuberosum</i>
<i>Tomato black ring nepovirus</i>	VIRUS	Secoviridae	QP	<i>Solanum tuberosum</i>
<i>Tomato bushy stunt tobusvirus</i>	VIRUS	Tombusviridae	QP	<i>Capsicum</i> sp., <i>Solanum melongena</i>
<i>Tomato ringspot virus</i>	VIRUS	Secoviridae	QP	<i>Capsicum</i> sp., <i>Citrullus</i> sp., <i>Cucumis</i> sp., <i>Cucurbita</i> sp., <i>Fragaria</i> sp., <i>Malus</i> sp., <i>Vitis</i> sp.
<i>Tomato yellow leaf curl bigeminivirus</i>	VIRUS	Geminiviridae	QP	<i>Lycopersicon</i> spp.
<i>Toxotrypana curvicauda</i>	INSECTA	Tephritidae	QP	<i>Carica papaya</i>
<i>Trionymus multivorus</i>	INSECTA	Pseudococcidae	QP	<i>Lactuca</i> sp.
<i>Trirhithromyia cyanescens</i> (<i>Neoceratitis cyanescens</i>)	INSECTA	Tephritidae	QP	<i>Capsicum</i> sp., <i>Solanum melongena</i>
<i>Tuckerella knorri</i>	ARACHNIDA	Tuckerellidae	QP	<i>Citrus</i> sp.
<i>Tuckerella pavoniformis</i>	ARACHNIDA	Tuckerellidae	QP	<i>Carica papaya</i> , <i>Citrus</i> sp.
<i>Ulocladium atrum</i>	FUNGUS	Pleosporales	QP	<i>Solanum tuberosum</i> , <i>Prunus</i> spp. (ex. cherries)

<i>Unaspis acuminata</i>	INSECTA	Diaspididae	QP	Mangifera indica
<i>Unaspis citri</i>	INSECTA	Diaspididae	QP	Ananas sp., Citrus sp., Citrus latifolia, Mangifera indica, Musa sp.
<i>Unaspis rousseti</i>	INSECTA	Diaspididae	QP	Mangifera indica
<i>Unaspis yanonensis</i>	INSECTA	Diaspididae	QP	Citrus latifolia, Citrus sp.
<i>Venturia cerasi</i>	FUNGUS	Pleosporales	QP	Prunus spp. (In. cherries), Prunus spp. (ex. cherries)
<i>Vinsonia stellifera</i>	INSECTA	Coccidae	QP	Asparagus sp., Citrus sp., Musa sp., Persea americana
<i>Virachola livia</i>	INSECTA	Lycaenidae	QP	Phoenix sp.
<i>Xanthomonas axonopodis pv. citri</i>	BACTERIUM	Xanthomonadaceae	QP	Citrus latifolia, Citrus sp.
<i>Xanthomonas axonopodis pv. punicae</i>	BACTERIUM	Xanthomonadaceae	QP	Punica
<i>Xanthomonas campestris pv. citri</i>	BACTERIUM	Xanthomonadaceae	QP	Citrus latifolia, Citrus sp.
<i>Xanthomonas campestris pv. musacearum</i>	BACTERIUM	Xanthomonadaceae	QP	Musa sp.
<i>Xanthomonas citri</i>	BACTERIUM	Xanthomonadaceae	QP	Citrus sp.
<i>Xanthomonas fragariae</i>	BACTERIUM	Xanthomonadaceae	QP	Fragaria sp.
<i>Xanthomonas vasicola pv. musacearum</i>	BACTERIUM	Xanthomonadaceae	QP	Musa sp.
<i>Xestia c-nigrum</i>	INSECTA	Noctuidae	QP	Apium sp., Malus sp., Prunus avium, Prunus spp. (ex. cherries), Vitis sp.
<i>Xylella fastidiosa</i>	BACTERIUM	Xanthomonadales: Xanthomonadaceae	QP	Fragaria sp., Vitis sp.
<i>Zeugodacus cucurbitae</i>	INSECTA	Tephritidae	QP	Capsicum sp., Carica papaya, Citrullus sp., Citrus latifolia, Citrus sp., Cucumis sp., Cucurbita sp., Ficus sp., Litchi chinensis, Mangifera indica, Passiflora edulis, Persea americana, Prunus spp. (ex. cherries), Solanum melongena
<i>Zonocerus variegatus</i>	INSECTA	Pyrgomorphidae	QP	Citrus sp., Musa sp., Persea americana
<i>Zonosemata electa</i>	INSECTA	Tephritidae	QP	Solanum melongena